

bolle
SAFETY



2021 COLLECTION



bolle
SAFETY



— The Bollé Safety Group has always been focused exclusively on eye protection since 1888 and innovation is at the heart of the company's developments to meet user's needs as fully as possible. Bollé Safety Standard Issue is a Bollé Safety division dedicated to the tactical market. Its expertise has been focused on the development of ballistic and protective eyewear while concentrating on improved comfort, style, and safety. No matter the mission you are on, our newly developed range of protective glasses and goggles from Bollé Safety Standard Issue, allows you to have a clear vision in any situation. Your eyesight is your best asset, it deserves the best protection.

MARKINGS AND STANDARDS

Bollé Safety lens and frame marking is specific to each product. Each marking corresponds to a very specific use. Certified and tested by independent laboratories, this information guarantees protective eyewear quality and resistance.

STANAG 2920/4296

The military standards specify criteria with which products must comply in terms of eye protection. Criteria concerns are for particular ballistic protection, optical qualities, product durability, etc. STANAG standards are military standards recognized in all NATO countries.

EN166

Each Bollé Safety Standard Issue product is tested and certified by independent laboratories (Banc Officiel d'Épreuve Saint-Etienne, BSI, INSPEC, Certtotica etc...) according to European & Global standards. Guarantee of minimum protection against everyday risks (dropping, sun-ageing, heat exposure, corrosion, etc...).

“DATA WHEEL”
Traceability number
(date of manufacture)

SENTINEL
Model name

Standard frame markings
EN 166 FT CE

STANAG 2920/4296
Ballistic resistance

Manufacturer logo

Lens technology

5-1,4 1 FT KN CE **European standard**

Code (field of use)	Protection class	Crown	Optical class	Mechanical strength
2: UV filter (EN170) 4: IR filter (EN171) 5 or 6: solar filter (EN172)	1.2 to 6: visible light filtration	Manufacturer identification Bollé Safety	1: high optical quality No optical distortion (suitable for permanent wear)	S: S. Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s. F: Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s. B: Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s. A: High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s. K: Resistance to surface damage by fine particles (optional). N: Resistance to fogging (optional).

T : The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

LENSES ADAPTED TO EVERY SITUATION

THE EYE IS AN ESSENTIAL FRAGILE ORGAN WHICH DIRECTS OUR MOVEMENTS AND GUIDES US IN OUR ENVIRONMENT...

This is why Bollé Safety Standard Issue has made eye safety its number one priority since 1888. Bollé Safety Standard Issue is constantly innovating to guarantee optimum protection for your eyes with lens coatings which filter out harmful rays and improve your visual comfort.

POLYCARBONATE (PC) LENS	USE	COMPATIBILITY WITH PLATINUM®	LIGHT TRANSMISSION	APPLICATIONS
CLEAR			90%	Indoor use, Bollé Safety Standard Issue's clear lenses provide 90% light transmission.
SMOKE			13%	Outdoor use only. Lenses filter 99.99% UVA and UVB and are compatible with the PLATINUM® anti-fog coating.
YELLOW			82%	Recommended for low light environments, both indoors and outdoors. Increases contrast and filters blue light.
CSP			65%	Ideal for all activities requiring exposure to alternating bright and low light, while adapting to environments with extreme temperatures and filtering blue light.
FLASH			13%	Protects from heat and are ideal for use outside in full sunshine. Can be combined with POLORED technology.
POLARIZED			13%	Outdoor use only. Polarized lenses filter 99.99% UVA and UVB and are compatible with the PLATINUM® anti-fog coating.

PLATINUM[®]

AN EXCLUSIVITY FROM BOLLÉ SAFETY



The European standard only tests the scratch resistance on the outside surface of the lens (K marking) and the fog resistance on the inside surface of the lens (N marking).



At Bollé Safety Standard Issue, we are convinced that scratches and fog do not only attack specific surfaces. This is why we have decided to permanently apply the anti-scratch AND anti-fog coating to each lens surface (inside AND outside).



This dipping process offers protection which is twice as efficient and considerably slows the appearance of fog and scratches.

GLOBAL RANGE

FIRST RESPONDERS GLASSES



TACTICAL GLASSES



TACTICAL GOGGLES





FIRST RESPONDERS

GLASSES

CONTOUR

21 g

21 g of strength: sturdy, protective, stylish, comfortable, and lightweight. CONTOUR is the most extreme everyday sun and safety protection eyewear.

- + Lightweight wrap-around frame
- + Non-slip bridge
- + Non-slip TIPGRIP temples

TECHNOLOGIES

PLATINUM CSP

SILIUM+

21 g

SILIUM+ is an ultra-light safety eyewear in polycarbonate that combines design, ergonomics, performance, and comfort for a use in every situation and on the long term.

- + Ultra light
- + Panoramic field of vision
- + Ergonomical and flexible temples

TECHNOLOGIES

PLATINUM CSP



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
CONTOUR	Smoke	PSSCONT443B	5-2.5 1 FT KN C€	EN166 FT C€	781.2 km/h - 217.8 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF P
	CSP	PSSCONTC13B	5-1.4 1 FT KN C€		784 km/h - 219.1 m/s		



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
SILIUM+	Smoke	PSSSIL443B	5-3.1 1 FT KN C€	EN166 FT C€	745.2 km/h - 207.4 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF P
	CSP	PSSSILIC13B	5-1.4 1 FT KN C€		705.6 km/h - 196.4 m/s	ANSI Z87.1 MIL-PRF-32432A	

RUSH+

26 g

Sporty, RUSH+ provides a panoramic field of vision and offers an attractive design thanks to its flexible co-injected temples. Also ultra-light, RUSH+ ensures perfect optical quality and ultimate comfort.

- + Bi-material temples for more comfort
- + Panoramic field of vision
- + Optional foam and strap kit

TECHNOLOGIES

PLATINUM CSP

RUSH+SMALL

26 g

The wraparound RUSH+ Small was specially designed for narrow faces. Light and with a wide field of view, this model offers a perfect optical quality and comfort in all situations.

- + Adapted to narrow faces
- + Panoramic field of vision
- + Optional foam and strap kit

TECHNOLOGIES

PLATINUM CSP



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
RUSH+	Clear	PSSRUSP064B	2C-1.2 1 FT KN C€		784.8 km/h - 218.2 m/s		
	Smoke	PSSRUSP443B	5-3.1 1 FT KN C€	EN166 FT C€	774 km/h - 215.9 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF P
	CSP	PSSRUSPC13B	5-1.4 1 FT KN C€		756 km/h - 210.2 m/s		
	Foam & Strap Kit	RUSHKITFS	-	-	-	-	-



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
RUSH+SMALL	Clear	PSSRUSP0652B	2C-1.2 1 FT KN C€		799.2 km/h - 222.9 m/s		
	Smoke	PSSRUSP4442B	5-3.1 1 FT KN C€	EN166 FT C€	828 km/h - 230.4 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF P
	CSP	PSSRUSPC142B	5-1.4 1 FT KN C€		763 km/h - 212.2 m/s		
	Foam & Strap Kit	RUSHKITFS	-	-	-	-	-

SILEX+

30 g

SILEX+ offers all the advantages of SILEX and is equipped with our exclusive PLATINUM® coating. Protection, Comfort... SILEX+ is available with various lens tints.

- + Upper protection
- + Bi-material FLEX 160° temples
- + Single-lens frame

TECHNOLOGIES

PLATINUM CSP

TRYON

26 g

TRYON perfectly combines innovation and absolute protection with its wrap-around, sporty look. It's equipped with co-injected FLEX160° temples, and an adjustable nose bridge.

- + Wraparound frame
- + Bi-material FLEX 160° temples
- + Single-lens frame

TECHNOLOGIES

PLATINUM CSP POLARIZED



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
SILEX+	Clear	PSSSILP064B	2C-1.2 1 FT KN C€	EN166 FT C€	803.5 km/h - 223.2 m/s	ANSI Z87.1	ASAF
	Smoke	PSSSILP443B	5-3.1 1 FT KN C€		813.2 km/h - 225.9 m/s		
	CSP	PSSSILPC13B	5-1.4 1 FT KN C€		811.8 km/h - 225.5 m/s		
	Strap Option	RUSHKITS	-	-	-	-	



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
TRYON	Smoke	PSSTRYO443B	5-3.1 1 FT KN C€	EN166 FT C€	777.6 km/h - 216.8 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF
	CSP	PSSTRYOC13B	5-1.4 1 FT KN C€		792 km/h - 220 m/s	ANSI Z87.1	
	POLARIZED	PSSTRYOP11B	5-3.1 1 FT C€		837.3 km/h - 232.6 m/s	ANSI Z87.1	
	Strap opt.	RUSHKITS	-	-	-	-	





TACTICAL

GLASSES

COMBAT

28 g

Certified STANAG 4296, EN166, EN170 and EN172, the COMBAT protective spectacles provide unique adaptability thanks to their easy-to-change mono-lens in clear, smoke and CSP versions, as well as their dual temple/strap system (with or without foam).

- + Wraparound fit
- + Ultra flexible frame
- + Ballistic Polycarbonate lens

TECHNOLOGIES

PLATINUM CSP



MODEL	REFERENCE	VERSION	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
COMBAT	COMBKITN	Clear	2C-1.2 1 BT KN C€	EN166 FT C€	824.2 km/h - 229 m/s	ANSI Z87.1 MIL-PRF-31013	ASAF
		Smoke	5-3.1 1 BT KN C€		849.6 km/h - 236 m/s		
		CSP	5-1.4 1 BT KN C€		918 km/h - 255 m/s		
	TACTICALRXKIT	RX Insert	-	-	-	-	-
KITFSCOMB	Strap + Foam	-	-	EN166 3 BT C€	-	ANSI Z87.1 MIL-PRF-43511D	-

GUNFIRE

26 g

The ideal kit for shooting enthusiasts. STANAG 4296 & EN172 certified, the GUNFIRE comes with interchangeable temples & a mono lens system. Clear version or CSP (indoor / outdoor), the GUNFIRE has the exclusive antifog and anti-scratch PLATINUM coating as standard.

- + Adjustable bridge
- + Wraparound frame
- + Interchangeable ballistic lens

TECHNOLOGIES

PLATINUM CSP

RAIDER

38 g

With its easy-to-change mono-lens in clear, yellow and smoke versions, the RAIDER ballistic glasses adapt to all your needs for maximum protection. Thanks to its dual temples/strap system and the possibility to add foam, you can now choose the version best suited to your needs.

- + Comfort temples in nylon
- + Wraparound fit
- + Panoramic field of vision

TECHNOLOGIES

PLATINUM

TACTICAL

- + Interchangeable temples



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
GUNFIRE	Clear	GUNFIREKIT	2C-1.2 1 FT KN C€	EN166 FT C€	853.2 km/h - 237 m/s	ANSI Z87.1 MIL-PRF-32432	ASAF
	CSP		5-1.4 1 FT KN C€		871.2 km/h - 242 m/s		

- + Wraparound fit



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	COATING
RAIDER KIT	Clear	RAIDERKIT	2C-1.2 1 FT KN C€	EN166 FT C€	745.2 km/h - 207 m/s	ASAF
	Yellow		2C-1.2 1 FT KN C€		741.6 km/h - 206 m/s	
	Smoke		5-3.1 1 FT KN C€		792 km/h - 220 m/s	

SENTINEL

25 g

Certified to MIL-PRF-31013 and ANSI Z87.1-2010, these SENTINEL ballistic sunglasses ensure maximum protection in all circumstances. Thanks to its adjustable bridge, flexible non-slip temples and ultra-wraparound fit, SENTINEL will provide you with comfort and protection.

- + Comfort PC/TPR temples
- + Adjustable non-slip bridge
- + Ballistic PC lens

TECHNOLOGIES

PLATINUM CSP

SWAT

28 g

MIL-PRF-31013 ANSI 287.1-2010 certified, these SWAT ballistic protection sunglasses ensure maximum protection against any event. Thanks to its non-slip bridge, its flexible temples and its ultra-enveloping design, SWAT will provide you with comfort and protection.

- + Nylon and PVC frame
- + Lateral protection
- + Flexible and Comfortable

TECHNOLOGIES

PLATINUM POLARIZED PLATINUM LITE



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
SENTINEL	Smoke	SENTIPSF	5-3.1 1 FT KN C€	EN166 FT C€	657.7 km/h - 182.7 m/s	ANSI Z87.1 MIL-PRF-31013	ASAF
	CSP	SENTICSP	5-1.4 1 FT KN C€		704.5 km/h - 195.7 m/s	ANSI Z87.1 MIL-PRF-32432A	ASAF



MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
SWAT	Smoke	SWATPSF	5-3.1 1 FT KN C€	EN166 FT C€	705 km/h - 196 m/s	ANSI Z87.1 MIL-PRF-31013	ASAF
	Silver Flash	SWATFLASH	5-3.1 1 FT C€		655 km/h - 182 m/s		ASAF
	POLARIZED	SWATPOL	5-3.1 1 FT C€		659 km/h - 183 m/s		



SENTINEL SMOKE



TACTICAL

GOGGLES

CHRONOSOFT

125 g

The CHRONOSOFT model is popular in high temperatures. Its TPR frame can withstand extreme heat and its double lens with EQUALIZER technology effectively combats fogging. CHRONOSOFT also offers ample comfort and effective protection from fire or extreme temperatures.

- + Wide adjustable strap
- + High comfort sealed frame
- + Equalizer technology

TECHNOLOGIES

EQUALIZER

X800

106 g

The X800 goggle is compatible with all types of helmets. It has a unique ventilation system guaranteeing excellent fogging resistance. The X800 goggle provides the best resistance to fogging with its PLATINUM® coating.

- + Panoramic field of vision
- + Ballistic lens
- + Ultra-ventilated frame

TECHNOLOGIES

PLATINUM



+ Latex free adjustable strap

MODEL	LENS	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	COATING
CHRONOSOFT	Clear	CHROKADESI	2C-1.2 1 BT 9 KN C€	EN166 3459 BT C€	796 km/h - 221 m/s	AS/AF



+ Panoramic field of vision

MODEL	VERSION	REFERENCE	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	COATING
X800	Clear	X800I	2C-1.2 1 BT	EN166 BT C€	716 km/h - 199 m/s	ASAF
	RX Insert	SOSX800	-	-	-	-

X810

120 g

Certified STANAG 4296 and compatible with all types of helmets thanks to its low-profile shape and its quick-release system, the X810 offers an array of innovations. Compact, panoramic, and modular, in waterproof or ventilated version, the X810 offers protection for the most extreme situations. In its ventilated version, the X810 goggle provides the best resistance to fogging with its PLATINUM® coating.

- + Panoramic field of vision
- + Waterproof or ultra-ventilated version
- + Quick-release system

TECHNOLOGIES

PLATINUM CSP

X1000

106 g

The newest generation of low-profile ballistic goggles, the X1000 goggle adapts to every need. Suited for use while wearing a helmet, offering comfort, adaptability and protection. The X1000 is the ideal goggle for extreme situations.

- + Non-slip technology
- + Pivot for helmet wearers
- + Quick release system

TECHNOLOGIES

PLATINUM

TACTICAL

+ Waterproof or ventilated version



+ Quick-release system

MODEL	REFERENCE	VERSION	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
X810	X810NPSI	Clear	2C-1.2 1 BT KN C€	EN166 3 4 5 BT C€	900 km/h - 250 m/s	ANSI Z87.1 MIL-PRF-32432	ASAF
	X810NPSIJP (Asian fit)						
SPARE LENS	FAX810CSP	CSP	5-1.4 1 BT KN C€	-	929 km/h - 258 m/s	ANSI Z87.1	ASAF
	FAX810PSF	Smoke	5-3.1 1 BT KN C€	-	929 km/h - 258 m/s	ANSI Z87.1 MIL-PRF-32432	
	FAX810PSI	Clear	2C-1.2 1 BT KN C€	-	900 km/h - 250 m/s		
OPTICAL INSERT KIT	TACTICALRXKIT	RX insert					



+ Wide field of vision

+ Non-slip technology

MODEL	REFERENCE	VERSION	LENS MARKING	FRAME MARKING	V50 BALISTIC RESISTANCE STANAG 2920	ANSI/MIL	COATING
X1000	X1NSTDII	Clear	2C-1.2 1 BT KN C€	EN166 3 BT C€	795 km/h - 220.7 m/s	ANSI Z87.1 GL-PD-10-12	ASAF
	FAX1STDF	Smoke	5-2.5 1 BT KN C€	-	782 km/h - 217.2 m/s		
SPARE LENS	FAX1STDJ	Yellow	2C-1.2 1 BT KN C€	-	774 km/h - 215.7 m/s		
	RX Insert	SOSX1000	RX Insert	-	-	-	

CLEANING PRODUCTS TO EVERY SITUATION

The B-Clean Bollé Safety range of cleaning solutions guarantees optimum cleaning. Alcohol and silicone free, its water-based formula guarantees a perfect cleaning and protection for your glasses and goggles.

Dispenser with 500 pre-impregnated wipes

Ref. B500
PACW500



Cardboard wall dispenser

Cleaning spray 250 ml
+ 2 x 200 wipes.

Ref. B410
PACD250



Box of 200 multi-function wipes

Ref. B401
PACMPCT



Dispenser containing 100 pre-impregnated wipes

Ref. B100
PACW100



Cleaning spray 500 ml

Ref. B402
PACS500



Cleaning spray 250 ml

Ref. B411
PACS250

Cleaning spray 50 ml

Ref. B412
PACS050



ANTI-FOG SOLUTIONS

Specially developed to combat the appearance of fogging, the B-Clean anti-fog line guarantees your eye protection will be used to its best.

Anti-fog kit

30 ml anti-fog solution spray + 1 microfibre cloth (all types of lens except anti-reflective). Available as 10 units in a display case.

Ref. B200
PACF030

Anti-fog spray 500ml

(All types of lens except anti-reflective).

Ref. B250
PACF500



COMMUNICATION & ACCESSORIES

CORDS

Retainer strap

Adjustable and compatible with several models (RUSH+, SILEX+, NESS+, TRYON, ULTIM8,...).

Ref. RUSHKITS



Black polyester cord

Available in bags of 10.

Ref. CORD



Classic adjustable cord

TPE tips, 100 % polyester.

Available in bags of 10.

Ref. CORDC



"Sporty" adjustable cord

TPE tips, 100% polyester.

Available in bags of 10.

Ref. CORDS



COUNTER DISPLAY

DOUBLE SIDED

12 PRODUCTS
H580 x W360 x D360 (mm)

REF: PDSTACCT21P3
Under the condition of availability.




FLOOR DISPLAY

SINGLE SIDED

48 PRODUCTS
H2000 x W500 x D500 (mm)

REF: PDSTACFL21P2
Under the condition of availability.



FLOOR DISPLAY

DOUBLE SIDED

96 PRODUCTS
H2000 x W500 x D600 (mm)

REF: PDSTACFL21P1
Under the condition of availability.



BOLLÉ SAFETY STANDARD ISSUE

EUROPE

34 rue de la soie
69300 Villeurbanne
France
contact@bolle-safety.com

UK & IRELAND

Unit C83 – Barwell Business Park
Leatherhead Road - Chessington
Surrey – KT9 2NY - UK
sales@bolle-safety.co.uk

bolle-safety.com