

INNOVATIVE **VISION**

TAILORED FOR YOUR VISION*

TAILORED FOR YOUR VISION, a new message that shows that we have always focused **exclusively on eye protection** and that **innovation** is at the heart of our developments to meet our users' needs as fully as possible.

Because we are eye protection specialists, we propose a **complete range of spectacles, goggles and welding helmets** adapted to every situation, a **range of quality prescription lenses** and a **Civil protection and Defence** range for the military, customs, police... and shooting sports.

We always go the extra mile to propose new eye protection for specific uses or environments. Check them out in **your new catalogue**. **It is more practical**, has clearer product segmentation and makes it possible to easily identify our flagship products and new technology: **new products** for all budgets, the extension of our solar and polarising solutions (because the sun, light and UVs are also an everyday risk) and **new products to complete the EXCELLENCE prescription range, which is the market leader.**

Tailored for your vision, is also the bespoke creation of **two new goggle versions for industry and healthcare**, models you can customise **to your colours and brands** and a **new on demand offer to develop special products.**

Also, coming soon, an entire special Office range with polycarbonate afocal lenses for effective protection from blue light.

We are by your side everyday to help you make the right choices and provide solutions to your issues. Don't hesitate to call on our services for **on site training.**

Excellent protection, an attractive design, a reactive and involved team, is more than ever the Bollé Safety signature.

Damien Guillobez


Executive Vice President







A-Z PRODUCTS INDEX	p. 4
THE NEW COLLECTION	p. 6
BOLLÉ SAFETY, THE EYEWEAR SPECIALIST	
- Over 130 years of innovation	p. 8
- Our mission	p. 9
- An international brand	p. 10
SUPPORTING YOU TO RAISE AWARENESS	p. 12
MAKE THE RIGHT CHOICE	
- Markings and standards	p. 14
- What type of protection to choose?	p. 16
- Lenses adapted to every situation	p. 18
♣₽LATINUM: a Bollé Safety exclusive coating	p. 24
- Innovation for increased performance	p. 26
OUR COLLECTIONS	
- Your customised models	p. 28
- Spectacles	p. 30
- Goggles	p. 66
- Safety face shields	p. 82
- Welding	p. 86
- Prescription	p. 94
- 6 LINE	p. 118
- Other references	p. 122
- Accessories	p. 123
- Civil protection and defence	p. 127
QUICK SEARCH	p. 130



SPECTACLES p. 34-65

AXIS	p. 60	iki-s	p. 48
BANDIDO	p. 62	MERCURO *	p. 34
BAXTER *	p. 51	NESS	p. 61
BAXTER POLARIZED *	p. 35	NESS+ *	p. 40
B808	p. 63	OVERLIGHT	p. 64
COBRA *	p. 46	PRISM	p. 61
COBRA HYBRID *	p. 54	RUSH	p. 60
CONTOUR *	p. 50	RUSH+ *	p. 42
CONTOUR METAL	p. 57	RUSH+ ASSEMBLED *	p. 55
CONTOUR POLARIZED *	p. 37	RUSH+ GLOW	p. 45
HUSTLER *	p. 38	RUSH+ SMALL *	p. 44
ΙΙ ΙΙΚΔ	n 58		

	p. 48	SILEX	p. 59
	p. 34	SILEX+*	p. 39
	p. 61	SILIUM	p. 56
	p. 40	SILIUM+ *	p. 41
	p. 64	SLAM	p. 62
	p. 61	SQUALE	p. 64
	p. 60	TRACKER II	p. 53
	p. 42	TRYON *	p. 49
EMBLED *	p. 55	TRYON OTG	p. 65
W	p. 45	TRYON POLARIZED *	p. 36
LL *	p. 44	ULTIM8 *	p. 52

GOGGLES p. 69-81

ATOM	p. 75
BLAST	p. 73
CHRONOSOFT	p. 81
COBRA TPR *	p. 76
COVERALL	p. 74
COVERALL AUTOCLAVE	p. 79
COVERALL CLEAN	p. 79
PILOT *	p. 72
PILOT FIREFIGHTER	p. 80
SUPERBLAST	p. 70
SUPERBLAST AUTOCLAVE	p. 78
ULTIM8 *	p. 77
180 *	p. 69

SAFETY FACE SHIELDS p. 84-85

TILTING SHIELD	p. 85
SPHERE	p. 84

WELDING p. 89-93

BANDIDO	p. 92
COVERSAL	p. 92
FLASH	p. 89
FUSION+	p. 90
SLAM	p. 92
SQUALE	p. 92
SUPERBLAST	p. 92
TRACKER II	p. 92
VOLT	p. 91

PRESCRIPTION p. 98-117

BAXTER RX	p. 107	HUSTLER RX	p. 111
B708	p. 115	KICK	p. 99
B710	p. 114	KICK OFFICE	p. 117
B711	p. 114	<i>MACRO</i>	p. 105
B712	p. 113	SLIDE	p. 106
B713	p. 112	SPICY	p. 98
B805	p. 102	SPICY OFFICE	р. 116
B806	p. 103	TRACKER RX	p. 108
B806 ALU	p. 115	TRYON RX	p. 109
B807	p. 102	TWISTER	p. 108
B808 II	p. 101	URBAN	p. 106
B809	p. 100	XTRA	p. 104
HARPER	p. 110		

LINE p. 120-121

BL11	p. 120
BL13	p. 120
BL15	p. 121
BL20	p. 121
BL30	p. 120

ACCESSORIES p. 124-126

CLEANING PRODUCTS	p. 124
CASES AND CORDS	p. 126



Use quick search to find your models **P. 130-131**

CIVIL PROTECTION AND DEFENCE p. 128





OVER 130 YEARS OF INNOVATION

OVER THE YEARS BOLLÉ HAS BECOME A GLOBAL BRAND

Although initially benefiting from the Bollé brand image, year after year, Bollé Safety has developed its own distribution network and won its independence. Today, Bollé Safety is distributed in over 90 countries and over 15 million workers wear protective spectacles bearing the Bollé Safety signature. A remarkable sports-protection synergy!



The invention of celluloid (J.Wa Hyatt), the base material for Bollé.

● Bollé was created in Oyonnax, the cradle of the plastics industry in France.

Start of production of spectacles fitted with

prescription lenses.

glasses" create the crown symbol, a guarantee of quality. Since then, the crown is being engraved on all spectacles of the brand.

1950 Launch of the first series of spectacles and goggles for industrial protection.

The beginning of the sports adventure, Bollé commercialises its first ski goggles.

The department of industrial **protection** Bollé develops products for French Army, French Navy and Aerospace Department.

1965 Creation of Bollé UK.

1934

1936

Development of the first anti-fog coatings.

1980 Creation of Bollé Australia.

Development of an offer for civil protection and defence.

Launch of the prescription program.

Creation of the Bollé Safety division and brand.

bollé Strong growth in Europe.

Starting in 2000, Bollé Safety goes worldwide.

1994



bollé IS SOLP 90 COUNTRIES

OUR MISSION

PROTECT WORKERS' VISION,

all over the world, in the most extreme environments and improve their performance. Personalise eye protection, develop tailor-made solutions, adapt our expertise to the specific constraints of each region, anticipate new needs and requirements of the expanding markets...

Every day we go further to satisfy the needs of our clients.

#INNOVATIVEVISION

BOLLÉ SAFETY IS NOW PART OF:

BOLLÉ $BRANDS^{*}$

bollé SERENGETI bollé YCEBE

OUR OBJECTIVES



PUT EYE PROTECTION AT THE CORE OF OUR EXPERTISE

and develop innovative solutions tailored to every



DESIGN. MANUFACTURE AND MARKET

products that people want to wear and meet user expectations, to be "user centric".



GUARANTEE OUR CUSTOMERS

a high level of safety, comfort, exceptional quality and innovation.



SIMPLIFY OUR

customers' work by providing the highest quality of service at all levels.



BOLLÉ SAFETY THE EYEWEAR SPECIALIST

INTERNATIONAL PRESENCE, **OUR CUSTOMER TESTIMONIALS**

Through its major international position, Bollé Safety detects all potential risks in the work environment to provide innovative solutions, advanced and targeted lens coatings that comply with the strictest international standards (CE, ANSI, AS/NZS, CSA, EAC and JIS). Bollé Safety has over 150,000 partner companies in the world in all sectors of activity in which there is a risk to the eves:



Aviation



Automotive







Construction



Pharmaceutical

Food processing







Safety Manager at AIRBUS HELICOPTERS

Airbus helicopters is the leading manufacturer of civilian helicopters in the world and one of the main manufacturers of military helicopters. It employs around 20,000 people globally.

Since when have you been working with Bollé Safety?

I have been in charge of safety at Airbus Helicopters at Marianane and Paris-le-Bourget since 2013. Bollé Safety products were already used by staff when I arrived. We have been working with the brand for over 10 years.

Why did you decide to continue working with them?

They have quality products and the feedback from the field has always been positive. Just last year, new products became popular, in particular the COBRA. For prescription glasses, I appreciate the simplicity and efficiency of the web shop. I have good visibility of my orders and of all the people who are kitted out. So even for prescription glasses, the circuit is very simple and I save time because I no longer need to contact the opticians to get the information I need. I have a clear and reliable real time view. Finally, I greatly appreciate the sales contact: available, reactive and highly professional because they are attentive to solving every issue.

What criteria did you use to select Bollé Safety?

- If PPE is ugly people don't wear it. So appearance is important.
- Lightness, as protection must be worn for 8h.
- How well the product stays on the head, as some jobs require leaning or crouching positions.
- Strength, because users are not always very careful.

What differentiates Bollé Safety from the other players on the market?

The "BOLLÉ" name has an impact on users. It's a trusted brand. a reference that infers professional quality.

WHY DO THEY PREFER BOLLÉ SAFETY?

COMFORT

ADAPTABILITY

QUALITY

INNOVATION

PERFORMANCE

DESIGN

LIGHTWEIGHT



Safety and well-being manager at BACHY SOLETANCHE LTD on the VINCI Construction group major: THAMES TIDEWAY PROJECT

The Thames Tideway programme is a project to transfer and store waste water and rainwater in central London, i.e. 32 kilometres of tunnels to increase existing network capacity. Begun in 2016, it is scheduled for completion in 2022. 500 to 750 people work on this project.

You have been loyal to Bollé Safety since 2016 to protect your teams, what were your selection criteria for the Thames Tideway project?

I started with a field test using different brands of protective spectacles: RUSH+ from Bollé Safety but also Uvex and Riley. Steve L., my contact at Bollé Safety, came on site to give training. Just handing over a pair of spectacles isn't enough, if you want workers to wear them, you need to explain the product's characteristics and how it works, you need to show them how the product adapts to varying morphology (head size, shape of the nose, etc.). He also demonstrated the effectiveness of the PLATINUM® anti-fog coating.

Which characteristics set Bollé Safety apart from the other players

Glass quality is very important and the feedback from users in the field was unanimous on the RUSH+ model for its comfort. its wrap-around feature, the flexibility of the temples and the bridge. RUSH+ meets all

When you wear eye protection 8 to 9 hours every day, comfort is essential. The model is very adaptable to different facial

We also use the retainer strap on that model, as well as the cases and cleaning wipes. Accessories are important too!



PPE Safety advisor - for 38 years at AUDI Belgium. 3000 employees of which 500 wear protective spectacles.

You have been a loyal Bollé Safety PPE partner for your employee protection for over 10 years, what are your main reasons?

First of all, I'm very happy with our relationship with Nicolas V. whose role is to support and advise us. He's friendly and reactive, thanks to him there are never any problems, just solutions! As for the products, the range is very broad and there is a wide variety of lens colours.

Audi has selected 4 models that are suitable for everyone and I'm still impressed by PLATINUM®. It is a really very effective anti-fog

I also appreciate the comfort of the different models.

How would you describe the relationship with Bollé Safety ?

Bollé Safety is a great partner for audits, user tests, for better adoption by employees.

I trust the products and the brand.

In your opinion, how does Bollé Safety stand out from the competition?

Bollé Safety's main strengths? Service and product quality and comfort. In 12 years I have never had the slightest problem! Bollé Safety is an excellent supplier.


With 500 people wearing eye protection, I also appreciate Bollé Safety's reactivity in answering questions and finding solutions. Bollé Safety is a known brand that innovates all the time,

for example by offering the possibility of customising equipment using our brand and colours!

Finally, Bollé Safety is more competitive than Uvex. All that makes the difference.

IT'S EASY TO CREATE PRESCRIPTION VOUCHERS ON THE WEBSHOP AND THE PRESCRIPTION PRODUCTS ARE GOOD VALUE FOR MONEY







The 3 characteristics users most appreciate are: **COMFORT - DESIGN - TECHNICITY**

SEE MORE **TESTIMONIALS** ON OUR WEBSITE bolle-safety.com

Source: 152 customer testimonials from 15 countries November-December 2019

^{*} Airbus Helicopters employees

SUPPORTING YOU TO RAISE AWARENESS

AS TECHNICAL EXPERTISE ALONE

PREVENTING RISKS!

IS NOT ENOUGH. WE SUPPORT YOU IN

Our mission does not stop at designing and producing effective and comfortable eye protection in all situations. Even if the overall number of accidents is dropping,

there are still too many. A lot of them could be avoided if all employees protected themselves. Informing and

educating to change behaviour is also our concern.

To achieve it, we help you in the field.

KEY FIGURES THAT CALL FOR ACTION...

In EUROPE:


There were over **3.2 MILLION** workplace accidents in 2015 involving at least 4 days of sick leave.1

Significantly increased costs in 2019²

+18% *since 2012*

(mean cost of workplace accidents and occupational diseases)

The most impacted sectors ¹ (non-fatal workplace accidents - 2015)



THE MOST COMMON CAUSES OF EYE INJURIES 3



(pieces of metal. glass, wood, concrete)







(spray and fumes)

Radiation

(in particular visible

light, ultraviolets,

heat or infrared radiation and lasers) Pathogens


(transmitted by blood (hepatitis or HIV) from body fluids, including blood.)4

THE MOST COMMON REASONS WHY WORKERS FAIL TO WEAR **EYE PROTECTION 5**





Fogging





Scratches on the

lenses

10 to 20%

of accidents involving the eyes will cause temporary or permanent sight loss. 4



of accidental eye injuries could be avoided or reduced by wearing suitable eye protection. 4

https://ec.europa.eu/eurostat/statistics-explained/index.php?title=Accidents at work statistics#Standardised incidence rates

https://www.sstrn.fr/actualites/bilan-2018-at-mp

- 4 Source: https://www.preventblindness.org/eye-safety-work#:~:text=Fve injuries in the workplace temporary or permanent vision loss
- Source: Accident; analysis and prevention 41(4):755-62 · August 2009 Factors influencing worker use of personal

AVAILABLE TOOLS

Training booklet

To order simply email at quickly at: marketing@bolle-safety.com. Your Bollé Safety contacts can support you by offering suitable personalised training.



Posters

To raise your employees' awareness of the risks.









bollé / 12 **bollé** / 13

³ Source: The vision council -Eye Safety At-a-Glance Protecting Your Vision at Work

MARKINGS AND STANDARDS

Bollé Safety lens and frame marking is specific to each product.

Each marking corresponds to a very specific use. Certified and tested by independent laboratories, this information guarantees protective eyewear quality and resistance.

Manufacturer logo

🖊 bollé

Code (field of use) 2: UV filter (EN170) 5 or 6: solar filter

(EN172)

bollé / 14

Protection class

1.2 to 6: visible light filtration

The crown:

the guarantee of Bollé Safety

Crown Manufacturer

5-1,4 ₩ 1 FT KN C€

Lens technology

Bollé Safety CSP

5-1.4 TITKNEECSP

identification quality Bollé Safety for permanent

1: high optical No optical distortion (suitable

Optical class

F: Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s. B: Medium energy impact, resists a 6 mm,

S: S. Extra strong, resists a 22 mm 43 g

ball falling 1.30 m at 5.1 m/s.

European standard

Mechanical strength

EN Standard

≅EN166 FT **C€**

- ball at 120 m/s.
- A: High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.
- K: Resistance to surface damage by fine particles (optional).
- N: Resistance to fogging (optional).
- T: The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures

EUROPEAN STANDARDS

BASIC STANDARDS

EN166 Guarantee of minimum protection against everyday risks (dropping, sun-ageing, heat exposure, corrosion, etc.).

EN167 Optical test methods.

EN168 Test methods other than optical.

STANDARDS BY TYPE OF APPLICATION

The type of use of the product and the corresponding standard are identified by a code (field of use) which is on the lens marking. **EN169** Welding filters.

EN170 Ultra-violet filters (code 2 or 3).

EN171 Infra-red filters (code 4).

EN172 Industrial use solar protection filters (code 5 or 6).

EN175 Equipment for welding (presence of the EN175 marking on the product).

EN207 Laser protection spectacles (code LB1 to LB10).

EN208 Laser adjustment spectacles (code R1 to R5).

EN379 Specification covering welding filters (EN379 marking on the filter).

Bollé Safety product approval certificates to CE standards will be sent on request.

FRAME MARKING

Frame marking must include the CE symbol and manufacturer identification (logo or brand). If the spectacles refer to the EN standard, the EN standard number is mandatory together with the various use and mechanical strength symbols, in accordance with the tests requested by the manufacturer.

Use symbols:

Only on the frame (chemical protection).

- 3. Liquid droplets (goggles) or splashes (safety face shields).
- 4. Large dust particles > 5 microns.
- **5.** Gas and fine dust particles < 5 microns.

Marking on the frame and the lenses mandatory.

- 8. Electrical short circuit arc.
- 9. Molten metal and hot solids.
- Mechanical strength symbols:

Marking on the frame and the lenses mandatory.

- S. Increased strength, resists a 22 mm and 43 g ball falling from a height of 1.30 m at 5.1 m/s.
- **F.** Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.
- **B.** Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.

- **A.** High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.
- **T.** The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

MARKING OF LENSES

Lens marking must include:

- The scale number for filtering lenses (code).
- The manufacturer's name (logo or brand recommended by the manufacturer).

Optical class symbols:

- 1. Continuous work Worn permanently.
- 2. Non-continuous work Worn intermittently.
- 3. Occasional work, must not be worn permanently.

Field of use symbols:

- 8. Electrical short circuit arc.
- 9. Molten metal and hot solids.

Mechanical strength symbols:

Marking on the frame and the lenses mandatory.

- **S.** Extra strong, resists a 22 mm 43 g ball falling 1.30 m at 5.1 m/s.
- F. Low energy impact, resists a 6 mm, 0.86 g ball at 45 m/s.
- B. Medium energy impact, resists a 6 mm, 0.86 g ball at 120 m/s.
- A. High energy impact, resists a 6 mm, 0.86 g ball at 190 m/s.
- T. The letter T, immediately after the mechanical strength symbol, authorises use in an environment in which high speed particles at extreme temperatures are present.

Marking on the lenses only.

- K. Resistance to surface damage by fine particles (optional).
- **N.** Resistance to fogging (optional).

WARNING

- F. Maximum protection for spectacles.
- B. Maximum protection for goggles.
- A. Maximum protection for face shields.

If the S. F. B. A and T symbols do not apply to both the lens and frame, then the lowest level must be assigned to the complete protective evewear.

MAKE THE RIGHT CHOICE

WHAT TYPE OF PROTECTION TO CHOOSE?









For each risk, high performance protection adapted to your industry.

Assessment of occupational risks involves identifying, assessing and ranking risks in the workplace to implement relevant preventive measures.

It is the initial step in occupational health and safety. It is vital to check that the risk identified, the directives of the standard and the markings on the product all match.



Grinding work, particle projections, projections of metal filings or debris from tools.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Low energy impact 45 m/s	F	6		3	EN166
Medium energy impact 120 m/s	В			3	EN166
High energy impact 190 m/s	A			3	EN166

The F, B or A symbol must imperatively be indicated on the lens and the frame to guarantee protection from mechanical risks. If the symbols differ, the symbol representing the lowest resistance applies to the whole protection equipment.



Protection from hot liquids or solids, intense heat radiation, radiant heat from furnaces.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Splatters of molten metals and hot solids	9			3	EN166

The 9 symbol must imperatively be indicated on the lens and the frame to guarantee protection from thermal risks.



Spray from toxic dust, aerosols, dangerous liquids, gas or toxic vapours.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Liquid droplets	3				EN166
Liquid splashes	3			3	EN166
Large dust particles > 5 microns	4				EN166
Gas and fine dust particles < 5 microns	5				EN166

The 3, 4 and 5 symbol or symbols must imperatively be indicated on the frame. If none of these numbers is indicated in the markings, then the equipment is not suitable for chemical risks.



TOP PRODUCT **NESS** +

TOP PRODUCT

PILOT



Protection from live contact and short-circuit electric arcs.

Risks or use	Symbol*	Spectacles	Goggles / Helmets	Safety face shields	Standard
Short-circuit electric arc	8			1	EN166

The 8 symbol must imperatively be indicated on the lens and the frame to guarantee protection from electrical risks.



Exposure of the eyes to high intensity, ultraviolet, infrared and visible light sources, welding activities, steelworks, surgery.

Reference shields Symbol* Spectacles Goggles / Safety face Reference shields S					
Infrared radiation 4 EN166 EN171 Solar radiation for ndustrial use EN175 for the hood EN379 for the filter Gas welding 1.7/3/5 EN166-169 EN166 EN169 R1 to R5 EN207		Symbol*	Spectacles		
Solar radiation for ndustrial use 5 or 6 EN166 EN172 EN175 for the hood EN379 for the filter Gas welding 1.7/3/5 EN175 EN166 EN175 EN379 EN166 EN169 R1 to R5 EN207	Jltraviolet radiation	2	5	3	
Electric welding EN175 for the hood EN379 for the filter En166-169 EN166-169 EN166-169 EN166-169 EN175 EN166-169 EN175 EN166-169 EN175 EN175 EN166-169 EN175	nfrared radiation	4	6	9	
Hood EN379 for the filter Sas welding 1.7/3/5 R1 to R5 EN207		5 or 6	6	9	
ass welding 1.//3/5 EN169 R1 to R5 EN207	Electric welding	hood EN379 for the		3	EN175
	Gas welding	1.7/3/5	6	9	
	aser radiation		6	3	

The standard is identified on the lens markings.

*See the marking in position on page 15.

For further information, ask for our training booklet.



LENSES ADAPTED TO EVERY SITUATION

BOLLÉ SAFETY LENSES ABSORB UVA/UVB RADIATION

THE EYE IS AN ESSENTIAL FRAGILE ORGAN WHICH DIRECTS OUR MOVEMENTS AND **GUIDES US IN OUR ENVIRONMENT...**

This is why Bollé Safety has made eye safety its number one priority since 1888. Bollé Safety is constantly innovating to guarantee optimum protection for your eyes with lens coatings which filter out harmful rays and improve your visual comfort.

OF BOLLÉ SAFETY SPECTACLES HAVE A ANTI-SCRATCH AND ANTI-FOG COATING

Lenses (PC)	Use	Light transmission	Lens	Compatible with �₽L^TINUM®	light filtration	Applications
Clear		90%	2C-1.2	÷		Indoor use
HD		96%	2C-1.2			Automotive, Paint booth, Quality control
CONTRAST	冷	88%	5-1.1/1.4		*	Artificial light, Activities under static stations (neons, halogen, etc.), Quality control, Automotive steelworks
Yellow	***	82%	2C-1.2	₽	**	Agricultural and forestry environments, Mechanical work, Night vision, Warehouse
© ESP	*	65%	5-1.4		**	Factory with LED lighting, Fork lift truck operators (indoor/ outdoor), Drivers, Night works
CSP	*	65%	5-1.4	Ţ	**	Factory with LED lighting, Fork lift truck operators (indoor/ outdoor), Drivers
TWILIGHT	*	40%	52	Ţ	***	Mines, Electricity, Outdoor works
Light smoke / Smoke	*	23% 13%	5-2.5 5-3.1	÷	-	Outdoor works, Construction (building, public works)
POLARIZED	*	13%	5-3.1		-	Outdoor activities, Drivers, Marine, Drilling rig
Flash Silver/Red/Blue	*	13%	5-3.1		-	Outdoor activities, Drivers, Marine, Drilling rig

****** 45 - 65% *** 75 - 90% - Not suitable for this use

***** 20-25%


Clear, smoked and CSP lenses cover 95% of the needs of all activities.

OF THE SPECTACLES IN THE RANGE ARE MANUFACTURED FROM POLYCARBONATE

- Ultra strong (20 times stronger than conventional mineral glass).
- Ultra light (20 g on average for a single lens),
- Ultra thin (2.2 mm on average)

Bollé Safety also offers mineral, acetate, CR39 and TRIVEX lenses, mainly for the prescription protective range.

CHOOSE THE RIGHT LENS FOR YOUR WORK ENVIRONMENT



Contrast enhancement

Glare protection:

Glare is a difficulty in seeing in the presence of strong light. Vision is altered by too intense light. When working outdoors, regardless of the conditions, it is important to provide glare protection.

Contrast enhancement:

Contrast is the difference in light between light and dark. Strengthening it makes it possible to better assess the details of our sight in order to be more accurate in more restrictive environments (dark/night for example).



Use the quick search to find your models P. 130-131

FOR OUTDOOR USE





THE END OF GLARE!

- Improves colour perception and visual comfort.
- Improves perception of contrast and depth.
- Reduces eye strain.

Available on the MERCURO, BAXTER, TRYON, CONTOUR and HUSTLER models.





- Protects from heat.
- Ideal for use outside in full sunshine.
- Can be combined with technology POLARIZED.

Available on the TRYON and HUSTLER models.



SMOKE OR LIGHT SMOKE

- Outdoor use only.
- Filters UVA and UVB (99.99%).
- Is compatible with the ♦₽∟∧ТІΝ⊔М anti-fog coating.







CSP



Comfort Sensitivity Perception

THE BEST INDOOR/OUTDOOR COMPROMISE


- Ideal for all activities requiring exposure to alternating high and low light.
- Adapted to environments with extreme temperatures, both cold and hot.
- Blue light filtration and combination with the exclusive ♦₽LATINUM anti-fog coating.

Available on the following models: RUSH+, RUSH+ SMALL, COBRA, BAXTER, SILIUM+, MERCURO, NESS+, SILEX+, CONTOUR, SLAM+, PILOT and



ESP





COMBATS GLARE DURING FREQUENT MOVEMENTS

- 1 colour, 2 uses indoor & outdoor.
- Provides good visible transmission (>60%).
- Reduces glare and reflection when moving from a dark area to a lit area.
- Filters blue light.

Available on the COBRA, CONTOUR, SLAM and CONTOUR MÉTAL models.



YELLOW



- **Recommended for low light environments,** both indoors and outdoors.
- Increases contrast (ideal for night driving for example).
- Filters blue light.

Available on the SILEX. TRACKER, COBRA, BANDIDO and SLAM models.




CHOOSE THE RIGHT LENS FOR INDOOR USE

In an indoor working environment, it is important to define your accuracy requirements for your professional tasks and to assess your blue light exposure risks.

The higher the visible light transmission percentage (the light you see with the naked eye), the more the lens will transmit a high percentage of that light. Therefore, the closer the transmission is to 100%, the closer we are to visible light without wearing spectacles, which favours vision accuracy.

Computer screens and LED lighting emit blue-enriched light which can have physiological effects (such as sleeping disorders) and can damage the retina. Therefore, it is important to **choose** lenses that provide high protection from blue light for professionals subjected to intense artificial lighting and for those who spend many hours in front of a screen.



PRESCRIPTION ANTI-GLARE

ANTI-GLARE, WATER REPELLENT, ANTI-STATIC AND REINFORCED ANTI-SCRATCH COATING

Lenses without anti-glare coating result in a reduction of light transmission of 10 to 15%, thereby penalising visual quality. Anti-glare coated lenses are perfectly transparent and transmit 99% of light.

Coming soon A SPECIAL OFFICE RANGE available with afocal polycarbonate lenses FOR EFFECTIVE PROTECTION FROM BLUE LIGHT!

THE B-ZEN COATING WAS DESIGNED FOR PEOPLE **EXPOSED TO BLUE LIGHT AND DIGITAL TOOLS**

This water-repellent, anti-glare, anti-static, anti-scratch coating filters about 20% of undesirable blue light and gives:

- Clearer and more accurate eyesight.
- Improved comfort and visual performances.
- Reduces the risk of ARMD and retinal lesions.
- It is very scratch resistant and easy to clean.

HD

High Definition

A REVOLUTIONARY COATING FOR EXCEPTIONAL CLARITY

- Improves perception and clarity thanks to its exceptional visible light transmission rate (96%).
- Increases the wearer acceptance rate thanks to greater visual comfort as compared to conventional clear lenses.
- Featuring **hydrophobic technology** (used by automotive suppliers), the HD coating guarantees perfect water resistance in very humid environments and improved visual acuity.

Available on the RUSH and COBRA models.



CONTRAST

FOR BETTER INDOOR WORKING COMFORT

- Combats the aggression of artificial lighting.
- Reduces eye fatigue providing optimum working comfort and improving contrast and relief.
- Ideal for activity at a static workstation lit using neons, halogens or other sources of blue light that can affect the eyes.

Available on the AXIS and COBRA models.



CLEAR

INDOOR USE

- Safety spectacles with clear lenses are essential indoors.
- Bollé Safety clear lenses provide 90% light transmission.
- Is compatible with the \$₽LATINUM anti-fog coating.



AN EXCLUSIVITY FROM BOLLÉ SAFETY

ANTI-SCRATCH AND ANTI-FOG COATING: **♦**PLATINUM[®] THE OPTIMUM PROTECTION

bollé / 24


The European standard only tests the scratch resistance on the outside surface of the lens (K marking) and the fog resistance on the inside surface of the lens (N marking).

At Bollé Safety, we are convinced that scratches and fog do not only attack specific surfaces...


This is why we have decided to permanently apply the anti-scratch AND anti-fog coating to each lens surface (inside AND outside).

This dipping process offers protection which is twice as efficient and considerably slows the appearance of fog and scratches.

Bollé Safety



OTHERS



DISCOVER A BROAD CHOICE OF ♦ PL△TINUM® COATED PRODUCTS

for superior protection from fog and scratches in all work environments





SUPERBLAST



















bollé / 26

INNOVATION FOR INCREASED **PERFORMANCE**

REMOVABLE TEMPLES

This technology is used to quickly and easily convert safety spectacles into safety goggles (and vice versa).

The temples can be switched with the foam + strap kit.



ULTIM8 SPECTACLES

- Protection from low energy impacts 45m/s - "F"
- ≅ EN166 FT C€



UTLIM8 GOGGLES

- Protection from medium energy impacts 120m/s - "B"
- Protection from liquid droplets "3", large dust particles "4" and gas and fine dust particles "5"





Removable temples



COBRA GOGGLES



Foam + strap kit



FLEX 160°

The FLEX 160° technology allows for perfect adjustment regardless of face size.

The built-in spring hinge technology allows for very flexible temples to adapt to different head sizes, without compromising optical quality.



FLEX

Flex technology provides unique flexibility.

Flexible and fully malleable, the FLEX bridge can be adjusted in all directions and fits all face shapes perfectly thanks to its shape-memory material.



PIVOTING TEMPLES / TILTING FRONT

This technology is used to adapt the angle of the spectacles to improve protection.



ADJUSTABLE BRIDGE

Designed to adapt to the nose so the frame sits perfectly on the face.



PHOSPHORESCENT TEMPLES





Glow technology makes it possible to be seen in the dark thanks to its phosphorescent material.

5 minutes under an active light source activates the temple phosphorescence for several hours.

NEW

ASIAN FIT

Because every face is unique and because comfort and safety remain our top priority.

Bollé Safety has specially designed and developed frames for wider faces and higher cheekbones as well as a lower nasal bridge.

SMALL FACES



Spectacles adapted to narrow faces

YOUR CUSTOMISED **MODELS**

Customise the eywear of your choice* using your brand and take advantage of Bollé Safety expertise and quality!


Bollé Safety was one of the first players to offer its customers a co-branding offer.

Thanks to that experience and our commitment to push our limits to satisfy your needs, you benefit from an innovative service and faultess manufacturing quality for your ultimate satisfaction.



EXCLUSIVITY BOLLÉ SAFETY

You can choose to have your brand markings on the lens, temple or the case (if the product is delivered with a case).



Exclusive: online customisation module

Bollé Safety innovates and offers a new exclusive digital service. Live a unique experience. Available 24*7.



CHECK OUT THE FULL OFFER IN THE CO-BRANDING BROCHURE.

4 GOOD REASONS TO CHOOSE BOLLÉ SAFETY CO-BRANDING FOR YOUR EYE PROTECTION



We create a product in your image: lens markings, temple markings temple colours, NO LIMITS on creation!



Your brand is visible

No matter the industry, your employees will convey the identity of your brand and raise greater awareness of your organisation.



You have a unique evewear

If you wish to place a new order: it's easy, just send us your specific reference and we will start production!



Because the look is essential and because it's easier to adopt products in your image, your employees will be proud to wear their ultrapersonalised spectacles





NEW

Co-branding is also available for some goggle models

bollé / 28 *Customisation available on many models of spectacles and goggles.



SELECTION GUIDE	冷			h	◆ / ħ/	′ *	*	*	*	*	/
SPECTACLES			RAST				lGH _T	RIZED	ie flash	, o /	/
	Clear	9 /	CONT	/ Yellow	, gg /	/ <i>gg</i> ₂ /	<i>≥</i> /		alue f	Smoke	

	MODELS	PAGES											♦ PLATINUM®	SUPPLIED ACCESSORIES	OPTIONAL ACCESSORIES
	MERCURO	P 34						×		×		×	Ţ	Microfibre pouch (Only for the MERPOL Ref.)	Retainer strap
OUTDOOR	BAXTER POLARIZED	P 35								×				Microfibre pouch	
USE	TRYON POLARIZED	P 36								×				Microfibre pouch	Retainer strap
& POLARIZED	CONTOUR POLARIZED	P 37								×				Microfibre pouch	
	HUSTLER	P 38								×	×	×		Microfibre pouch	
	SILEX+	P 39	×					×				×	+₽		Retainer strap
	NESS+	P 40	×					×				×	.		Retainer strap
	SILIUM+	P 41	×					×				×	; ⊃	Microfibre pouch	
	RUSH+	P 42	×					×	×			×	; ⊃		Foam + strap kit / Retainer strap
	RUSH+ SMALL	P 44	×					×				×	÷₽		Foam + strap kit / Retainer strap
LIGHTNESS & COMFORT	RUSH+ GLOW	P 45	×										⁺ ⊃		Foam + strap kit / Retainer strap
	COBRA	P 46	×	×	×	×	×	×				×	⁺ P	Adjustable cord	
	IRI-s	P 48	×						×			×	.	Adjustable cord	Optical insert
	TRYON	P 49	×					×			×	×	⁺ P		Retainer strap
	CONTOUR	P 50	×				×	×				×	⁺ P	Microfibre pouch	
	BAXTER	P 51	×					×				×	₽		Foam + strap kit
	ULTIM8	P 52	×										₽		Retainer strap
HYBRIDS	TRACKER II	P 53	×			×						×	₽	Microfibre pouch	Optical insert
	COBRA HYBRID	P 54	×										₽		Foam + strap kit
	RUSH+ ASSEMBLED	P 55	×										₽	Strap only	Foam + strap kit
METAL	SILIUM	P 56	×									×			
	CONTOUR METAL	P 57	×				×					×		Microfibre pouch	
	ILUKA	P 58	×									×			
	SILEX	P 59	×			×						×			Retainer strap
	RUSH	P 60	×	×					×			×		Adjustable cord	Comfort foam
CIMPLICITY	AXIS	P 60	×		×							×			
SIMPLICITY & VERSATILITY	NESS	P 61	×									×		Adjustable cord	Retainer strap
	PRISM	P 61	×									×		Adjustable cord	
	BANDIDO	P 62	×			×						×		Adjustable cord	
	SLAM	P 62	×			×	×					×		Adjustable cord	
	B808	P 63	×										+₽		
	OVERLIGHT	P 64	×												
ОТС	SQUALE	P 64	×											Adjustable cord	
	TRYON OTG	P 65	×									×	+₽		Retainer strap







MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	✓ Yellow/Black	Smoke	MERPSF	5-3.1 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch +
<i>MERCURO</i>	■ Grey/Black	CSP	MERCSP	5-1.4 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch ⁺ P
_	■ Black/Grey	POLARIZED	MERPOL	5-3.1 😭 1 FT €€	≌ EN166 FT C€	AS
Acceptance	Supplied with	Microfibre pouch*	ETUIFS	-	-	-
Accessories —	Optional	Retainer strap	PSPRUS+-S01	-	-	-


AVAILABLE
WITH CO-BRANDING

* WRAP-AROUND AND
LIGHTWEIGHT FRAME

* SPORTY DESIGN

Available in clear, smoke and CSP versions, on page 51.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
BAXTER POLARIZED	Cobalt blue/Gun metal	POLARIZED	BAXPOLWFS	5-3.1 😭 1 FT C€	≅ EN166 FT C€	AS
Acceptation	Supplied with	Microfibre pouch	ETUIFS	-	=	=
Accessories —	Optional	Foam + strap only kit	BAXKITFS	-	-	-








Available in clear, CSP, smoke and blue flash versions, on page 49.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
TRYON POLARIZED	■ Blue/Black	POLARIZED	TRYOPOL	5-3,1 😭 1 FT K C€	© EN166 FT C€	AS
Acceptation	Supplied with	Microfibre pouch	ETUIFS	-	-	-
Accessories —	Optional	Retainer strap	PSPRUS+-S01	-	-	-



Available in clear, smoke, ESP and CSP versions, on page 50.

MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
CONTOUR POLARIZED	Gun metal	POLARIZED	CONTPOL	5-3.1 😭 1 FT (€	© EN166 FT C€	AS
Accessory	Supplied with	Microfibre pouch	ETUIFS	-	-	-





MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	Black	Smoke	HUSTPSF	5-3.1 😭 1 FT 👀	≅ EN166 FT C€	AS/AF
HUSTLER	Black	POLARIZED	HUSTPOL	5-3.1 😭 1 FT €€	≅ EN166 FT C€	AS/AF
	■ Black	Blue flash POLARIZED	HUSTFLASH	5-3.1 😭 1 FT C€	≌ EN166 FT C€	AS/AF
Accessory	Supplied with	Microfibre pouch	ETUIFS	-	-	-



MODEL	FRAME	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	■ Blue/Yellow	Clear	SILEXPPSI	2C-1.2 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch +
SILEX+	■ Black/Yellow	Smoke	SILEXPPSF	5-3.1 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch +
	■ Grey/Black	CSP	SILEXPCSP	5-1.4 😭 1 FT KN €€	≌ EN166 FT C€	Anti-fog anti-scratch +
Accessory	Optional	Retainer strap	PSPRUS+-S01	-	-	-



NESS+ provides an unlimited field of vision thanks to its curved single lens

- + Ultra wrap-around frame for perfect protection
- + Bi-material temples for better comfort
- → Non-slip bridge

CSP









SILIUM+ combines style, ergonomics and performance for extended use

- + Ultra-lightweight frame
- + All-round vision
- → Ultra thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)

♦₽**L**\TINUM®(**⁺₽**)



LIGHTNESS & COMFORT





MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	Orange/Black	Clear	NESSPPSI	2C-1.2 😭 1 FT KN €€	≌ EN166 FT C€	Anti-fog anti-scratch ⁺ P
NESS+	■ Orange/Black	Smoke	NESSPPSF	5-3.1 😭 1 FT KN C€		Anti-fog anti-scratch ⁺ P
	■ Orange/Black	CSP	NESSPCSP	5-1.4 😭 1 FT KN €€		Anti-fog anti-scratch ⁺ P
Accessory	Optional	Retainer strap	PSPRUS+-S01	-	-	-



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	Gun metal	Clear	SILPPSI	2C-1.2 😭 1 FT KN €€	≌ EN166 FT C€	Anti-fog anti-scratch ⁺₽
SILIUM+	Gun metal	Smoke	SILPPSF	5-3.1 😭 1 FT KN €€	≌ EN166 FT C€	Anti-fog anti-scratch ⁺₽
	Gun metal	CSP	SILPCSP	5-1.4 😭 1 FT KN C€		Anti-fog anti-scratch 구
Accessory	Supplied with	Microfibre pouch	ETUIFS	=	-	-



- + Bi-material, ultra-flexible coloured temples
- + 2 sizes available

RUSH+

+ Optional retainer strap and foam kit

\$PLATINUM*(**†P**)

TWILIGHT















MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	■ Red/Black -	Clear	RUSHPPSI	2C-1.2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺₽
	Meu/black	Smoke	RUSHPPSF	5-3.1 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
	■ Grey/Black	TWILIGHT	RUSHPTWI	5-2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
	Grey/Grey	CSP	RUSHPCSP	5-1.4 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
RUSH+	✓ Green/Black	Clear	RUSHPPSIG	2C-1.2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺ P
	■ Blue/Black	Clear	RUSHPPSIB	2C-1.2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺ P
		Clear	RUSHPPSIY	2C-1.2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
	✓ Yellow/Black	Smoke	RUSHPPSFY	5-3.1 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
	■ Orange/Black	Clear	RUSHPPSIO	2C-1.2 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
Accessories	Optional	Retainer strap	PSPRUS+-S01	-	-	-
ACCESSUITES	Optional	Foam + strap only kit	RUSHKITFS	-	-	-

Available in a clear version with built-in foam and strap, on page 55.





- + Phosphorescent, ultra-pliable temples

RUSH+ GLOW

+ Optional strap for more support

Technology















LIGHTNESS & COMFORT

MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
	☑ White/Blue	Clear	RUSHPSPSI	2C-1.2 😭 1 FT KN C€	≌ EN166 FT C€	Anti-fog anti-scratch +
	Grey/Pink	Clear	RUSHPSPSIS	2C-1.2 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch ⁺₽
RUSH+ SMALL	Grey/green	Smoke	RUSHPSPSFG	5-3.1 😭 1 FT KN C€		Anti-fog anti-scratch +
	Grey/Yellow	Smoke	RUSHPSPSFL	5-3.1 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
	Grey/Yellow	CSP	RUSHPSCSPL	5-1.4 😭 1 FT KN C€		Anti-fog anti-scratch ⁺P
Acceptance	Optional	Retainer strap	PSPRUS+-S01	-	-	-
Accessories	Optional	Foam + strap only kit	RUSHKITFS	-	=	-



MODEL	TEMPLES	VERSIONS	REFERENCES	LENS MARKING	FRAME MARKING	COATINGS
RUSH+ GLOW	■ Phosph/Black	Clear	RUSHPGLO	2C-1.2 😭 1 FT KN €€	≅ EN166 FT C€	Anti-fog anti-scratch ⁺ P
Accessories	Optional	Retainer strap	PSPRUS+-S01	-	-	-
	Optional	Foam + strap only kit	RUSHKITFS	-	-	-







~~~~~~

**+** UPPER PROTECTION

Available in kit (ref. KITCOBRA). More information on our bolle-safety.com website

| MODEL                    | TEMPLES       | VERSIONS        | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                            |
|--------------------------|---------------|-----------------|------------|---------------------|---------------|-------------------------------------|
|                          | ■ Grey/Black  | Clear           | COBPSI     | 2C-1.2 😭 1 BT KN €€ | ≌ EN166 FT C€ | Anti-fog anti-scratch ⁺ <b>P</b>    |
| _                        | ■ Grey/Black  | Smoke           | COBPSF     | 5-3,1 😭 1 BT KN C€  | ≌ EN166 FT C€ | Anti-fog anti-scratch ⁺₽            |
|                          | ■ Grey/Black  | CSP             | COBCSP     | 5-1,4 😭 1 BT KN C€  | ≌ EN166 FT C€ | Anti-fog anti-scratch ⁺₽            |
| COBRA<br>temples version | ■ Grey/Black  | HD⁺             | COBHDPI    | 2C-1.2 😭 1 BT €€    | ≌ EN166 FT C€ | Hydrophobic/AS (outside)/AF (inside |
| tompico vorsion          | ■ Grey/Black  | CONTRAST        | COBCONT    | 5-1.1/1.4 😭 1 BT C€ | ≌ EN166 FT C€ | AS (outside)/AF (inside)            |
|                          | ■ Grey/Black  | ESP             | COBESP     | 5-1.4 😭 1 BT €€     | ≅ EN166 FT C€ | AS (outside)/AF (inside)            |
|                          | ■ Grey/Black  | Yellow          | COBPSJ     | 2C-1.2 😭 1 BT €€    | ≌ EN166 FT C€ | AS/AF                               |
| Spare lens               | -             | Clear           | OCCOBPSI   | 2C-1.2 😭 1 BT €€    | -             | AS/AF                               |
| Accessory                | Supplied with | Adjustable cord | CORDC      | -                   | -             | -                                   |
|                          |               |                 |            |                     |               |                                     |

\*Supplied with microfibre pouch Ref. ETUIFS

**COBRA** 

Technologies

 $\bigcirc$ **Asian Fit** 

A versatile best seller, COBRA provides all-round vision, wrap-around fit protection and optimum modularity

HD CONTRAST ESP

1 product = 2 uses (spectacles or goggles version) → Wide range of lens shades for multiple applications

→ Pivoting temples to adjust and improve protection

## IRI-s

Because every face is unique, Bollé Safety has developed IRI-s which is infinitely adaptable to every person

- → 1 model 1 size = fits all
- Multiple uses: several shades
- + 4 dioptres available: 1.5 / 2 / 2.5 / 3

#### **Technologies**

\$PL\TINUM\*(**†P**)

TWILIGHT





**LIGHTNESS & COMFORT** 

## TRYON

Ultra wrap-around fit and sporty line, TRYON perfectly combines style, protection and absolute protection

- + Bi-material temples for better comfort
- + FLEX 160° temples to adapt to all heads and reduce pressure points
- + TRYON is available in 3 versions (safety spectacles, prescription spectacles and OTG)

CSP POLARIZED







| MODEL       | TEMPLES       | VERSIONS        | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
|-------------|---------------|-----------------|------------|---------------------|---------------|--------------------------|
|             | ■ Red/Black   | Clear           | IRIPSI     | 2C-1.2 😭 1 FT KN C€ | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺₽ |
| IRI-S       | ■ Red/Black   | Smoke           | IRIPSF     | 5-3.1 😭 1 FT KN C€  | ≌ EN166 FT C€ | Anti-fog anti-scratch +  |
|             | ■ Grey/Black  | TWILIGHT        | IRITWI     | 5-2 😭 1 FT KN C€    |               | Anti-fog anti-scratch +  |
|             | ■ Red/Black   | Dioptre + 1.5   | IRIDPSI1.5 | 2C-1.2 😭 1 FT C€    |               | AS/AF                    |
|             | ■ Red/Black   | Dioptre + 2     | IRIDPSI2   | 2C-1.2 😭 1 FT C€    |               | AS/AF                    |
|             | ■ Red/Black   | Dioptre + 2.5   | IRIDPSI2.5 | 2C-1.2 😭 1 FT C€    |               | AS/AF                    |
|             | ■ Red/Black   | Dioptre + 3     | IRIDPSI3   | 2C-1.2 😭 1 FT C€    |               | AS/AF                    |
| Accessories | Supplied with | Adjustable cord | CORDC      | -                   | -             | -                        |
|             | Optional      | Optical insert  | IRISRXKIT  | -                   | -             | -                        |



| MODEL     | FRAME                   | VERSIONS       | REFERENCES  | LENS MARKING        | FRAME MARKING | COATINGS                         |
|-----------|-------------------------|----------------|-------------|---------------------|---------------|----------------------------------|
|           | ■ Blue/Black            | Clear          | TRYOPSI     | 2C-1.2 😭 1 FT KN €€ | ≌ EN166 FT C€ | Anti-fog anti-scratch ⁺₽         |
|           | ■ Blue/Black            | Smoke          | TRYOPSF     | 5-3.1 😭 1 FT KN C€  | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺ <b>P</b> |
| TRYON     | <b>NEW</b> ■ Blue/Black | POLARIZED      | TRYOPOL     | 5-3,1 😭 1 FT K C€   | ≅ EN166 FT C€ | AS                               |
|           | ■ Blue/Black            | CSP            | TRYOCSP     | 5-1.4 😭 1 FT KN C€  | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺₽         |
|           | ■ Blue/Black            | Blue flash     | TRYOFLASH   | 5-3.1 😭 1 FT C€     | ≌ EN166 FT C€ | AS/AF (indoor)                   |
| Accessory | Optional                | Retainer strap | PSPRUS+-S01 | -                   | -             | -                                |

Available in POLARIZED version, on page 36.



21 g of power: solidity, protection, design, comfort and lightness...

- + Ultra-lightweight
- → Non-slip bridge
- Thin TIPGRIP temples for better support

#### **Technologies**

♦PLATINUM®(→P) CSP ESP POLARIZED

 $\bigcirc$ **Asian Fit** 



**LIGHTNESS & COMFORT** 





| MODEL     | FRAME         | VERSIONS         | REFERENCES  | LENS MARKING        | FRAME MARKING | COATINGS                 |
|-----------|---------------|------------------|-------------|---------------------|---------------|--------------------------|
|           | Bronze        | Clear            | CONTPSI     | 2C-1.2 😭 1 FT KN C€ | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺P |
|           | Gun metal     | Smoke            | CONTPSF     | 5-2.5 😭 1 FT KN C€  | ≌ EN166 FT C€ | Anti-fog anti-scratch ⁺₽ |
| CONTOUR   | Gun metal     | POLARIZED        | CONTPOL     | 5-3.1 😭 1 FT C€     | ≌ EN166 FT C€ | AS                       |
|           | Gun metal     | CSP NEW          | PSSCONT-C10 | 5-1.4 😭 1 FT KN C€  | ≌ EN166 FT C€ | Anti-fog anti-scratch +  |
|           | Gun metal     | €SP              | CONTESP     | 5-1.4 😭 1 FT C€     | ≌ EN166 FT C€ | AS                       |
| Accessory | Supplied with | Microfibre pouch | ETUIFS      | -                   | -             | -                        |



| MODEL     | FRAME            | VERSIONS              | REFERENCES | LENS MARKING        | FRAME MARKING       | COATINGS                         |
|-----------|------------------|-----------------------|------------|---------------------|---------------------|----------------------------------|
| BAXTER    | ■ Blue/Gun metal | Clear                 | BAXPSI     | 2C-1.2 😭 1 BT KN €€ | EN166 FT FT         | Anti-fog anti-scratch ⁺₽         |
|           | Blue/Gun metal   | Smoke                 | BAXPSF     | 5-3,1 😭 1 BT KN €€  | (spectacles)        | Anti-fog anti-scratch ⁺₽         |
|           | Blue/Gun metal   | CSP                   | BAXCSP     | 5-1,4 😭 1 BT KN €€  | (with foam + strap) | Anti-fog anti-scratch ⁺ <b>P</b> |
| Accessory | Optional         | Foam + strap only kit | BAXKITFS   | -                   | -                   | -                                |

**HYBRIDS** 



The hybrid model that provides the ultimate protection in the most extreme working environments

- + Sealed bi-material frame
- + Assembled with a spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)
- + Removable and adjustable strap

#### Technology

\$PL/TINUM<sup>®</sup> (**†P**)





HYBRIDS





| I | MODEL     | FRAME       | VERSIONS       | REFERENCES  | LENS MARKING        | FRAME MARKING               | COATINGS                 |
|---|-----------|-------------|----------------|-------------|---------------------|-----------------------------|--------------------------|
|   | ULTIM8    | ■ Red/Black | Clear          | ULTIPSI     | 2C-1.2 😭 1 BT KN C€ | <b>≅</b> EN166 FT <b>C€</b> | Anti-fog anti-scratch ⁺₽ |
| - | Accessory | Optional    | Retainer strap | PSPRUS+-S01 | =                   | =                           | =                        |



|             | •             |                  |            |                     |               |                          |
|-------------|---------------|------------------|------------|---------------------|---------------|--------------------------|
| MODEL       | FRAME         | VERSIONS         | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
| TRACKER II  | ■ Grey/Black  | Clear            | TRACPSI    | 2C-1.2 😭 1 BT KN €€ | ≌ EN166 FT C€ | Anti-fog anti-scratch 🔁  |
|             | ■ Grey/Black  | Smoke            | TRACPSF    | 5-2,5 😭 1 BT KN C€  |               | Anti-fog anti-scratch ⁺₽ |
|             | ■ Grey/Black  | Yellow           | TRACPSJ    | 5-1,4 😭 1 BT KN €€  |               | Anti-fog anti-scratch ⁺₽ |
| Accessories | Supplied with | Microfibre pouch | ETUIFS     | -                   | =             | =                        |
|             | Optional      | Optical insert   | SOSTRACKER | -                   | -             | -                        |

Available in welding shades, on page 92.



The 2-in-1 COBRA model is available with built-in comfort foam, as spectacles or goggles, it adapts to all

- Increased protection
- + Hybrid model: spectacles version or goggle version
- → Pivoting temples to adjust and improve protection





HYBRIDS

RUSH+ ASSEMBLED

Reinforced protection of the RUSH+ model assembled with the foam and strap kit included

- Increased protection
- + Adjustable non-slip bridge
- + Bi-material, ultra-flexible temples

#### Technology



| MODEL         | -                       | VERSIONS              | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
|---------------|-------------------------|-----------------------|------------|---------------------|---------------|--------------------------|
| COBRA HYBRID  | Foam + temples version  | Clear                 | COBFTPSI   | 2C-1.2 😭 1 BT KN €€ | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺₽ |
| GUDNA NI DNIV | Foam + strap version    | Clear                 | COBFSPSI   | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺₽ |
| Accessory     | As a replacement option | Foam + strap only kit | KITFSCOB   | -                   | -             | -                        |



| MODEL                             | TEMPLES                 | VERSIONS              | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                         |
|-----------------------------------|-------------------------|-----------------------|------------|---------------------|---------------|----------------------------------|
| RUSH+ ASSEMBLED with foam + strap | ■ Red/Black             | Clear                 | RUSHPFSPSI | 2C-1.2 😭 1 FT KN C€ | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺ <b>P</b> |
| Accessory                         | As a replacement option | Foam + strap only kit | RUSHKITFS  | -                   | -             | -                                |
|                                   |                         |                       |            |                     |               |                                  |

**HYBRIDS** 





| MODEL    | FRAME   | VERSIONS | REFERENCES | LENS MARKING     | FRAME MARKING        | COATINGS |
|----------|---------|----------|------------|------------------|----------------------|----------|
| CII IIIM | ■ Metal | Clear    | SILPSI     | 2C-1.2 😭 1 FT €€ | ≌ EN166 FT C€        | AS/AF    |
| SILIUM   | ■ Metal | Smoke    | SILPSF     | 5-2.5 😭 1 FT €€  | <b>≅</b> EN166 FT C€ | AS/AF    |



| MODEL                | FRAME         | VERSIONS         | REFERENCES | LENS MARKING     | FRAME MARKING | COATINGS |
|----------------------|---------------|------------------|------------|------------------|---------------|----------|
|                      | ■ Gun metal   | Clear            | CONTMPSI   | 2C-1.2 😭 1 FT C€ | ≅ EN166 FT C€ | AS/AF    |
| <b>CONTOUR METAL</b> | Gun metal     | ESP              | CONTMESP   | 5-1.4 😭 1 FT C€  | ≅ EN166 FT C€ | AS       |
|                      | Gun metal     | Smoke            | CONTMPSF   | 5-3.1 😭 1 FT C€  |               | AS/AF    |
| Accessory            | Supplied with | Microfibre pouch | ETUIFS     | -<br>-           | -             | -        |
|                      |               |                  |            |                  |               |          |

**ILUKA** 

SIMPLICITY & VERSATILITY

Thin, lightweight and ultra wrap-around fit, ILUKA is adapted to thin and narrow faces

- + Adapted to thin faces
- + Bi-material temples for better comfort
- → Ultra thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)







The model without compromise. SILEX offers all-round vision, ultra wrap-around protection, coloured and stylish temples signed Bollé Safety

- + FLEX 160° temples to adapt to all heads and reduce pressure points
- → No metal parts
- → Sporty design





22 g

NEW



| MODEL | TEMPLES      | VERSIONS | REFERENCES | LENS MARKING     | FRAME MARKING | COATINGS |
|-------|--------------|----------|------------|------------------|---------------|----------|
| ILUKA | ▼ Blue/Clear | Clear    | ILUPSI     | 2C-1.2 😭 1 FT €€ | ≅ EN166 FT C€ | AS/AF    |
| ILUNA | ■ Grey/Black | Smoke    | ILUPSF     | 5-3.1 😭 1 FT C€  | ≌ EN166 FT C€ | AS/AF    |



| MODEL     | TEMPLES              | VERSIONS       | REFERENCES  | LENS MARKING     | FRAME MARKING | COATINGS |
|-----------|----------------------|----------------|-------------|------------------|---------------|----------|
|           | ■ Dark blue/Sky blue | Clear          | SILEXPSI    | 2C-1.2 😭 1 FT C€ | ≅ EN166 FT C€ | AS/AF    |
| SILEX     | Clear grey/Yellow    | Smoke          | SILEXPSF    | 5-3.1 😭 1 FT C€  | ≅ EN166 FT C€ | AS/AF    |
|           | ✓ Clear yellow/Black | Yellow         | SILEXPSJ    | 2C-1.2 😭 1 FT C€ | ≅ EN166 FT C€ | AS/AF    |
| Accessory | Optional             | Retainer strap | PSPRUS+-S01 | =                | =             | =        |

## RUSH

The all-round vision and lightweight RUSH model offers perfect optical quality, permanent comfort and a modern design

- Upper protection
- + Non-slip temples
- + Adjustable non-slip bridge

#### **Technologies**

HD TWILIGHT



SIMPLICITY & VERSATILITY

| MODEL       | TEMPLES              | VERSIONS        | REFERENCES | LENS MARKING     | FRAME MARKING | COATINGS                             |
|-------------|----------------------|-----------------|------------|------------------|---------------|--------------------------------------|
|             | Clear                | Clear           | RUSHPSI    | 2C-1.2 😭 1 FT €€ | ≌ EN166 FT C€ | AS/AF                                |
| RUSH        | HD                   | HD              | RUSHDPI    | 2C-1.2 😭 1 FT C€ | ≅ EN166 FT C€ | Hydrophobic/AS (outside)/AF (inside) |
| กบอก        | Twilight             | TWILIGHT        | RUSHTWI    | 5-2 😭 1 FT C€    | ≅ EN166 FT C€ | AS/AF                                |
|             | ■ Smoke              | Smoke           | RUSHPSF    | 5-3.1 😭 1 FT C€  | ≅ EN166 FT C€ | AS/AF                                |
| Accession   | Supplied with        | Adjustable cord | CORDC      | -                | -             | -                                    |
| Accessuries | Accessories Optional | Comfort foam    | RUSHKITFS  | -                | -             | -                                    |

## **AXIS**

The AXIS model provides protection adapted to every user thanks to its universal design

- Ultra wrap-around frame for perfect protection
- Ergonomic temples for optimum comfort
- Increased upper protection and bridge

**Technology** CONTRAST







| MODEL | TEMPLES      | VERSIONS | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS |
|-------|--------------|----------|------------|---------------------|---------------|----------|
|       | ■ Grey/Black | Clear    | AXPSI      | 2-1.2 😭 1 FT C€     | ≅ EN166 FT C€ | AS/AF    |
| AXIS  | ■ Grey/Black | CONTRAST | AXCONT     | 5-1,1/1,4 😭 1 FT C€ | ≅ EN166 FT C€ | AS/AF    |
|       | ■ Grey/Black | Smoke    | AXPSF      | 5-2.5 😭 1 FT C€     | ≅ EN166 FT C€ | AS/AF    |

## **NESS**

Thanks to its ultra-curved single lens, NESS provides an extra-wide field of vision

- Ultra wrap-around frame for perfect protection
- → Non-slip bridge
- + Thin temples that adapt perfectly to other PPE equipment (e.g. ear defenders)



**Asian Fit** 



| MODEL       | TEMPLES       | VERSIONS        | REFERENCES  | LENS MARKING     | FRAME MARKING | COATINGS |
|-------------|---------------|-----------------|-------------|------------------|---------------|----------|
| NESS        | Black         | Clear           | NESSPSI     | 2C-1.2 😭 1 FT €€ |               | AS/AF    |
| NEGG        | Black         | Smoke           | NESSPSF     | 5-3.1 😭 1 FT C€  | ≅ EN166 FT C€ | AS/AF    |
| Accessories | Supplied with | Adjustable cord | CORDC       | -                | -             | -        |
| Accessories | Optional      | Retainer strap  | PSPRUS+-S01 | -                | -             | -        |

## **PRISM**

The PRISM model provides superior protection and offers excellent value for money.


- + Lightweight frame
- → No metal parts
- Adapted to the food-processing industry

23 g



| MODEL     | TEMPLES       | VERSIONS        | REFERENCES | LENS MARKING     | FRAME MARKING | COATINGS |
|-----------|---------------|-----------------|------------|------------------|---------------|----------|
| PRISM -   | Black         | Clear           | PRIPSI     | 2C-1.2 😭 1 FT C€ | ≌ EN166 FT C€ | AS/AF    |
|           | ■ Black       | Smoke           | PRIPSF     | 5-2.5 😭 1 FT C€  | ≌ EN166 FT C€ | AS/AF    |
| Accessory | Supplied with | Adjustable cord | -          | -                | -             | -        |

## **BANDIDO**



| MODEL          | TEMPLES       | VERSIONS        | REFERENCES | LENS MARKING     | FRAME MARKING                | COATINGS |
|----------------|---------------|-----------------|------------|------------------|------------------------------|----------|
|                | Clear         | Clear           | BANCI      | 2C-1.2 😭 1 FT €€ |                              | AS/AF    |
| <b>BANDIDO</b> | Yellow        | Yellow          | BANPSJ     | 2C-1.2 😭 1 FT €€ | <b>≅</b> EN166 FT <b>C</b> € | AS/AF    |
|                | Smoke         | Smoke           | BANPSF     | 5-2.5 😭 1 FT C€  | <b>≅</b> EN166 FT <b>C</b> € | AS/AF    |
| Accessory      | Supplied with | Adjustable cord | _          | =                | -                            | _        |

Available in welding shades, on page 92.

## **SLAM**

### Stylish and ergonomic, SLAM protects in all situations

- + Ultra wrap-around fit
- → All-round field of vision
- + Wide range of lens shades for multiple applications

**Technology** 

ESP









Available in welding shades, on page 92.

| MODEL     | TEMPLES       | VERSIONS        | REFERENCES | LENS MARKING     | FRAME MARKING | COATINGS |
|-----------|---------------|-----------------|------------|------------------|---------------|----------|
|           | Black         | Clear           | SLAPSI     | 2C-1.2 😭 1 FT €€ | ≅ EN166 FT C€ | AS/AF    |
| SLAM      | Black         | Yellow          | SLAPSJ     | 2C-1.2 😭 1 FT €€ | ≅ EN166 FT C€ | AS/AF    |
| SLAIVI    | Black         | ESP             | SLAESP     | 5-1.4 😭 1 FT C€  | ≅ EN166 FT C€ | AS       |
|           | Black         | Smoke           | SLAPSF     | 5-3.1 😭 1 FT C€  | ≅ EN166 FT C€ | AS/AF    |
| Accessory | Supplied with | Adjustable cord | -          | -                | -             | -        |





| MODEL | FRAME  | VERSIONS | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
|-------|--------|----------|------------|---------------------|---------------|--------------------------|
| B808  | ■Black | Clear    | B808BLPSI  | 2C-1.2 😭 1 FT KN €€ | ≅ EN166 FT C€ | Anti-fog anti-scratch ⁺₽ |

INCREASED UPPER AND LOWER PROTECTION

## **OVERLIGHT**



- + 2 uses: spectacles and/or OTG
- Ultra wrap-around frame for perfect protection
- + No metal parts





| OTG Asian Fit |         |          | 33 g       |                  |                             |          |  |
|---------------|---------|----------|------------|------------------|-----------------------------|----------|--|
| MODEL         | TEMPLES | VERSIONS | REFERENCES | LENS MARKING     | FRAME MARKING               | COATINGS |  |
| OVERLIGHT     | Clear   | Clear    | OVLITLPSI  | 2C-1.2 😭 1 FT C€ | <b>≅</b> EN166 FT <b>C€</b> | AS/AF    |  |

bollé

## **SQUALE**

Cost effective and compatible with most prescription spectacles

- → Adjustable
- + Side shields
- → Wide frame







Available in welding shade 5, on page 92.

| MODEL     | MODEL TEMPLES VERSIONS  SQUALE ■ Black Clear |                 | REFERENCES LENS MARKING  SQUPSI 2C-1.2 1 FT C6 |   | FRAME MARKING | COATINGS |
|-----------|----------------------------------------------|-----------------|------------------------------------------------|---|---------------|----------|
| SQUALE    |                                              |                 |                                                |   | © EN166 FT C€ | AS/AF    |
| Accessory | Supplied with                                | Adjustable cord | -                                              | - | -             | -        |





| MODEL     | FRAME              | VERSIONS  | REFERENCES         | LENS MARKING        | FRAME MARKING           | COATINGS                 |
|-----------|--------------------|-----------|--------------------|---------------------|-------------------------|--------------------------|
| TRYON OTG | ■ Blue/Black       | Clear     | TRYOTGPSI          | 2C-1.2 😭 1 FT KN C€ |                         | Anti-fog anti-scratch ⁺P |
| INTUN UTU | ■ Blue/Black Smoke | TRYOTGPSF | 5-3.1 😭 1 FT KN C€ |                     | Anti-fog anti-scratch + |                          |



## SELECTION GUIDE **GOGGLES**

|                    | MODELS                  | PAGES | REFERENCES  | VENTILATION | Clear     | CSP | Smoke | <b>♦</b> PLATINUM® | FRAME  | FOAM | STRAP               |
|--------------------|-------------------------|-------|-------------|-------------|-----------|-----|-------|--------------------|--------|------|---------------------|
|                    | 180                     | P 69  | 180APSI     | Indirect    | ×         | -   | -     | <b>₽</b>           | TPR    | -    | Nylon               |
|                    |                         |       | SUPBLAPSI   | Indirect    | ×         | -   | -     | AS/AF              | PVC    | -    | Nylon               |
|                    | SUPERBLAST              | P 70  | SUPBLEPSI   | Sealed      | ×         | -   | -     | AS/AF              | PVC    | -    | Nylon               |
|                    |                         |       | SUPBLFAPSI  | Indirect    | ×         | -   | -     | AS/AF              | PVC    | SBR  | Nylon               |
|                    |                         |       | SUPBLAPSIP  | Indirect    | ×         | -   | -     | +₽                 | PVC    | -    | Nylon               |
|                    |                         |       | PILOPSI     | Indirect    | ×         | -   | -     | <b>₽</b>           | TPR/PP | -    | Nylon               |
| ALL-ROUND          | PILOT                   | P 72  | PILOPSF     | Indirect    | -         | -   | ×     | <b>₽</b>           | TPR/PP | -    | Nylon               |
| VISION             |                         |       | PILOCSP     | Indirect    | -         | ×   | -     | +₽                 | TPR/PP | -    | Nylon               |
|                    | PILOT NEO               | P 72  | PSFPIL2-L16 | Indirect    | ×         | -   | -     | <b>₽</b>           | TPR/PP | -    | Neoprene            |
|                    | TIEST NES               | 1 72  | PSFPIL2-L17 | Indirect    | -         | ×   | -     | <b>₽</b>           | TPR/PP | -    | Neoprene            |
|                    | BLAST                   | P 73  | BLAPSI      | Indirect    | ×         | -   | -     | AS/AF              | PVC    | -    | Nylon               |
|                    |                         |       | BLEPSI      | Sealed      | ×         | -   | -     | AS/AF              | PVC    | -    | Nylon               |
|                    |                         |       | BLFAPSI     | Indirect    | ×         | -   | -     | AS/AF              | PVC    | SBR  | Nylon               |
|                    |                         |       | BLARSI      | Indirect    | (Acetate) | -   | -     | AF                 | PVC    | -    | Nylon               |
|                    | COVERALL                | P 74  | COVARSI     | Indirect    | ×         | -   | -     | AS/AF              | -      | -    | Nylon               |
|                    | 0012                    |       | COVERSI     | Sealed      | ×         | -   | -     | +₽                 | PVC    | -    | Nylon               |
|                    | АТОМ                    | P 75  | ATOAPSI     | Indirect    | ×         | -   | -     | +2                 | TPR    | -    | Nylon               |
|                    |                         |       | AT0FAPSI    | Indirect    | ×         | -   | -     | +₽                 | TPR    | SBR  | Nylon               |
| COMPACT<br>GOGGLES |                         |       | AT0EPSI     | Sealed      | ×         | -   | -     | +₽                 | TPR    | -    | Nylon               |
|                    | COBRA TPR               | P 76  | COBTPRPSI   | Sealed      | ×         | -   | -     | +₽                 | TPR    | -    | Isoprene            |
|                    | ULTIM8                  | P 77  | ULTIPSI     | Sealed      | ×         | -   | -     | <b>₽</b>           | TPR    | -    | Nylon               |
|                    |                         | P 78  | SUPBLCLAVE  | Indirect    | ×         | -   | -     | +₽                 | TPR    | -    | Isoprene            |
| SPECIAL            | SUPERBLAST<br>AUTOCLAVE |       | SUPBLCLAV2  | Direct      | ×         | -   | -     | +₽                 | TPR    | -    | Isoprene            |
| CLEAN<br>ROOM      |                         |       | SUPBLCLAV3  | Direct      | ×         | -   | -     | +₽                 | TPV    | -    | Isoprene            |
|                    | COVERALL CLEAN          | P 79  | COVACLEAN   | Indirect    | ×         | -   | -     | AS/AF              | PVC    | -    | Isoprene            |
|                    | COVERALL AUTOCLAVE      | P 79  | COVACLAVE   | Indirect    | ×         | -   | -     | <b>₽</b>           | TPR    | -    | Isoprene            |
| SPECIAL            | PILOT FIREFIGHTER       | P 80  | PILOFCSP    | Sealed      | -         | ×   | -     | <b>₽</b>           | TPR    | -    | Fire-proof<br>nylon |
|                    | CHRONOSOFT              | P 81  | CHROKADESI  | Sealed      | ×         | -   | -     | AS/AF              | TPE    | -    | Fire-proof<br>nylon |





| MODEL | FRAME | VERSIONS | REFERENCES LENS MARKING |                     | FRAME MARKING     | COATINGS                         |  |
|-------|-------|----------|-------------------------|---------------------|-------------------|----------------------------------|--|
| 180   | Clear | Vented   | 180APSI                 | 2C-1.2 😭 1 BT KN €€ | ₩ EN166 3 4 BT C€ | Anti-fog anti-scratch ⁺ <b>戸</b> |  |







**ALL-ROUND VISION** 





| MODEL     | FRAME   | VERSIONS | REFERENCES  | LENS MARKING          | FRAME MARKING              | COATINGS                 |
|-----------|---------|----------|-------------|-----------------------|----------------------------|--------------------------|
|           | Clear   | Vented   | PILOPSI     | 2C-1.2 😭 1 BT 9 KN €€ | <b>≅</b> EN166 3 4 9 BT €€ | Anti-fog anti-scratch ⁺₽ |
| PILOT     | ■ Smoke | Vented   | PILOPSF     | 5-3.1 😭 1 BT 9 KN €€  | EN166 3 4 9 BT C€          | Anti-fog anti-scratch ⁺P |
|           | ■CSP    | Vented   | PILOCSP     | 5-1.4 😭 1 BT 9 KN €€  | EN166 3 4 9 BT C€          | Anti-fog anti-scratch ⁺₽ |
| NEW       | Clear   | Vented   | PSFPIL2-L16 | 2C-1.2 😭 1 BT KN €€   | ≅ EN166 3 4 BT C€          | Anti-fog anti-scratch ⁺₽ |
| PILOT NEO | -CSP    | Vented   | PSFPIL2-L17 | 5-1,4 😭 1 BT KN C€    | ≅ EN166 3 4 BT C€          | Anti-fog anti-scratch +7 |



| MODEL     | FRAME    | VERSIONS             | REFERENCES | LENS MARKING      | FRAME MARKING       | COATINGS |
|-----------|----------|----------------------|------------|-------------------|---------------------|----------|
|           | Blue     | Vented               | BLAPSI     | 2-1.2 😭 1 BT 9 €€ |                     | AS/AF    |
| BLAST     | Blue     | Sealed               | BLEPSI     | 2-1.2 😭 1 BT 9 €€ | EN166 3 4 5 9 BT C€ | AS/AF    |
| DLAJI     | Blue     | Vented + foam        | BLFAPSI    | 2-1.2 😭 1 BT 9 €€ |                     | AS/AF    |
|           | Blue     | Visor for BLAST only | BLV        | -                 |                     | -        |
| Accessory | Optional | Optical insert       | SOSBLAST   | -                 | -                   | -        |

**PILOT** 

Asian Fit

**COVERALL** 

#### Versatile and effective

- + Available in 2 versions: vented and sealed
- + Economical and effective
- → Comfortable, flexible frame

#### Technology



OTG



**ALL-ROUND VISION** 





91 g

| MODEL    | FRAME | VERSIONS | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
|----------|-------|----------|------------|---------------------|---------------|--------------------------|
| COVERALL | Clear | Vented   | COVARSI    | 2C-1.2 😭 1 BT €€    |               | AS/AF                    |
| GUVENALL | Clear | Sealed   | COVERSI    | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺₽ |



| MODEL     | FRAME    | VERSIONS            | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                         |
|-----------|----------|---------------------|------------|---------------------|---------------|----------------------------------|
|           | Blue     | Vented              | ATOAPSI    | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺₽         |
| ATOM      | Blue     | Sealed              | ATOFAPSI   | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺₽         |
| AIUM      | Blue     | Vented + foam       | ATOEPSI    | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺ <b>P</b> |
|           | Blue     | Visor for ATOM only | ATOV       | -                   |               | -                                |
| Accessory | Optional | Optical insert      | SOSATOM    | -                   | -             | -                                |



Ideal design combining lightness and technicity for clean environments and extreme conditions

- + Hybrid, ultra-lightweight and compact model
- + Sealed joint, flexible and comfortable
- → Ideal for petrochemical environments

#### Technology





**COMPACT GOGGLES** 

**ULTIM8** 


The hybrid model that provides the ultimate protection in the most extreme working environments

- → Sealed, bi-material frame for improved protection and comfort
- ♣ Assembled with the spectacles/goggles conversion kit: increases impact resistance (type B: 120m/s)
- + Compact and ultra-strong hybrid model

#### Technology










| MODEL     | FRAME | VERSIONS | REFERENCES | LENS MARKING        | FRAME MARKING            | COATINGS                         |
|-----------|-------|----------|------------|---------------------|--------------------------|----------------------------------|
| COBRA TPR | Clear | Clear    | COBTPRPSI  | 2C-1.2 😭 1 BT KN €€ | <b>≅</b> EN166 345 BT €€ | Anti-fog anti-scratch ⁺ <b>P</b> |



| MODEL  | FRAME     | VERSIONS | REFERENCES | LENS MARKING        | FRAME MARKING                                              | COATINGS                |
|--------|-----------|----------|------------|---------------------|------------------------------------------------------------|-------------------------|
| ULTIM8 | Red/Black | Sealed   | ULTIPSI    | 2C-1.2 😭 1 BT KN €€ | EN166 FT C€ (with temples)  EN166 3 4 5 BT C€ (with strap) | Anti-fog anti-scratch † |

# **COVERALL CLEAN**



- + Can be sterilised using gamma, beta and Eto radiation
- Disposable
- + Liquid overflow chute



| MODEL          | FRAME     | VERSIONS | REFERENCES | LENS MARKING     | FRAME MARKING                   | COATINGS |
|----------------|-----------|----------|------------|------------------|---------------------------------|----------|
| COVERALL CLEAN | Clear PVC | Vented   | COVACLEAN  | 2C-1.2 😭 1 BT €€ | <b>≅</b> EN166 3 4 BT <b>C€</b> | AS/AF    |

# **COVERALL AUTOCLAVE**

#### Versatile goggles for clean room environments

- + High fogging resistance
- Autoclave compatible product
- + Liquid overflow chute

MODEL

**COVERALL AUTOCLAVE** 

#### Technology





FRAME

Clear TPR



INDIRECT UPPER **VENTED** 

→ Wide field of vision → Autoclave compatible product

+ Possible to wear a half-mask respirator

rooms in sterile and non-sterile conditions

SUPERBLAST AUTOCLAVE

The SUPERBLAST AUTOCLAVE range was specially developed

and designed to meet needs in grade A, B, C and D clean

**♦**₽₽¥₹₽



DIRECT OR INDIRECT VENTED DEPENDING ON THE VERSION ADJUSTABLE ISOPRENE STRAP + TPR OR TPV FRAME PIVOTING BUCKLE


SPECIAL FOR "CLEAN ROOMS"

Check the technical data sheet for more information - Study on request.

| MODEL                   | F   | RAME        |   | VERSIONS        | REFERENCES | LENS MARKING        | FRAME MARKING | COATINGS                 |
|-------------------------|-----|-------------|---|-----------------|------------|---------------------|---------------|--------------------------|
| CUDEDDI ACT             |     | Clear TPR   |   | Indirect vented | SUPBLCLAVE | 2C-1.2 😭 1 BT KN €€ |               | Anti-fog anti-scratch ⁺₽ |
| SUPERBLAST<br>AUTOCLAVE | NEW | Clear TPR   | 6 | Direct vented   | SUPBLCLAV2 | 2C-1.2 😭 1 BT KN €€ | ≅ EN166 BT C€ | Anti-fog anti-scratch ⁺₽ |
| AUIUGLAVE               | NEW | ☐ White TPV | 6 | Direct vented   | SUPBLCLAV3 | 2C-1.2 😭 1 BT KN €€ | ≅ EN166 BT C€ | Anti-fog anti-scratch †  |

SEALED LOWER PART







| MODEL         | FRAME       | VERSIONS   | REFERENCES | LENS MARKING         | FRAME MARKING         | COATINGS                         |
|---------------|-------------|------------|------------|----------------------|-----------------------|----------------------------------|
| PILOT POMPIER | ■ Red/Black | CSP sealed | PILOFCSP   | 5-1.4 😭 1 BT 9 KN €€ | ≅ EN166 3 4 5 9 BT C€ | Anti-fog anti-scratch ⁺ <b>P</b> |



| FRAME             | COLOURS | VERSIONS | REFERENCES | LENS MARKING          | FRAME MARKING                | COATINGS                      |
|-------------------|---------|----------|------------|-----------------------|------------------------------|-------------------------------|
| <b>CHRONOSOFT</b> | ■ Black | Sealed   | CHROKADESI | 2C-1.2 😭 1 BT 9 KN €€ | <b>≅</b> EN166 3 4 5 BT 9 €€ | Anti-scratch (K)/Anti-fog (N) |

bollé / 80





# TILTING SHIELD

The tilting shield provides complete head and face protection, available with an acetate shield

- + Protection against electrical short circuit arcs (RELRSI version)
- + 19 x 29 cm tilting shield
- + Anti-fog coating depending on the version





| MODEL     | HEADGEAR | VERSIONS       | REFERENCES | LENS MARKING         | FRAME MARKING | COATINGS |
|-----------|----------|----------------|------------|----------------------|---------------|----------|
| SPHERE    | Black    | Polycarbonate  | SPHERPI    | 2C-1.2 😭 1 AT 8 9 €€ |               | =        |
| SPRENE    | -        | Spare lens     | FASPHERPI  | 2C-1.2 😭 1 AT 8 9 €€ | -             | -        |
| Accessory | Optional | Protective bag | BAGWELD    | -                    | -             | -        |

| + POLYPROPYLENE ———<br>HEADGEAR | 16 |   |      |                   |
|---------------------------------|----|---|------|-------------------|
| + TILTING SHIELD ————           |    |   | 6    |                   |
|                                 |    | 7 | + AL | JUSTABLE HEADBAND |
|                                 |    |   |      |                   |

| MODEL     | HEADGEAR | VERSIONS                 | REFERENCES | LENS MARKING       | FRAME MARKING | COATINGS     |
|-----------|----------|--------------------------|------------|--------------------|---------------|--------------|
|           | Yellow   | Acetate                  | RELRSI     | 2-1.2 😭 2 B 8 N €€ |               | Anti-fog (N) |
| TILTING   | -        | Spare acetate lens       | FARELRSI   | 2-1.2 😭 2 B 8 N €€ | <del>-</del>  | Anti-fog (N) |
| SHIELD    | Yellow   | Polycarbonate            | RELPSI     | <b>□</b> 1 F C €   |               | AS/AF        |
|           | -        | Spare polycarbonate lens | FARELPSI   | <b>□</b> 1 F C €   | -             | AS/AF        |
| Accessory | Optional | Protective bag           | BAGWELD    | -<br>-             | <del>-</del>  | -            |



# WELDING SELECTION GUIDE

Download the instructions and use and maintenance advice at bolle-safety.com, Products - welding category section.

| MODELS                          | VOLT                 | FUSION+                | FLASH                 |
|---------------------------------|----------------------|------------------------|-----------------------|
| ELECTRO-OPTICAL                 | TRUE COLOR           | TRUE COLOR             | TRUE COLOR            |
| FILTER SIZE                     | 110x90x9 mm          | 110x90x9 mm            | 110x90x9.8 mm         |
| FIELD OF VISION                 | 96x39 mm             | 100x53 mm              | 98x87 mm              |
| CE OPTICAL CLASS                | 1/1/1/2              | 1/1/1/2                | 1/1/1/1               |
| DETECTION SENSORS               | 2                    | 4                      | 4                     |
| GRINDING FEATURE                | Yes (external)       | Yes (external)         | Yes (external)        |
| SENSITIVITY ADJUSTMENT          | Yes (internal)       | Yes (internal)         | Yes (internal)        |
| VARIABLE SHADES                 | 4/9-13 (external)    | 4/5-8/ 9-13 (external) | 4/5-8/9-13 (internal) |
| SHADE RANGE                     | -                    | 5-8/9-13 (internal)    | 5-8/9-13 (internal)   |
| REACTION TIME                   | 0.1 to 1s (internal) | 0.1 to 1s (internal)   | 0.1 to 1s (internal)  |
| UV/IR PROTECTION                | Permanent            | Permanent              | Permanent             |
| REPLACEABLE BATTERY             | Yes (CR2032 battery) | Yes (CR2032 battery)   | Yes (CR2450 battery)  |
| LOW BATTERY INDICATOR           | Yes                  | Yes (red light)        | Yes (red light)       |
| ERGONOMIC SHAPE-MEMORY HEADBAND | No                   | Yes                    | Yes                   |
| PROTECTIVE COVER INCLUDED       | No                   | Yes                    | Yes                   |
| WARRANTY                        | 2 years              | 2 years                | 2 years               |

Filter performance is measured by its optical class consisting of 4 numbers, for example 1/1/1/1 or 1/1/1/2 standing for, in order:

The optical quality (minimum optical deformation in class 1)

Light diffusion (maximum accuracy in class 1)

Consistency (minimum image disturbance in class 1)

Dependency angle (maximum field of vision in class 1)

#### NEW

Depending on your activity, choose your spectacles or goggles welding shades on page 93.

Our welding range is entirely researched and designed to meet current standards as well as comfort and style rules. All our welding helmets are fitted with active darkening filters (ADF) for all types of welding (Coated electrode arc, MIG/MAG, TIG, PLASMA) for effective protection from UVs and infrared.

The new TRUE COLOR technology on our active filters makes it possible to improve colour recognition while reducing eye fatigue and increasing visibility of the welding area.






(Available in summer 2020)





| MODEL     | FRAME         | REFERENCES  | DESCRIPTION                                                 | EUROPEAN    |
|-----------|---------------|-------------|-------------------------------------------------------------|-------------|
|           | Black         | FLASHV      | Full electro-optical helmet with variable shades 5-8 / 9-13 | EN379/EN175 |
|           | -             | B9V         | Electro-optical filter with variable shades 5-8 / 9-13      | EN379       |
| FLASH     | -             | COVFLASHEXT | 118 x 136 mm outer protective screen                        | EN166       |
| ГLАЭП     | -             | COVFLASHINT | 105 x 92 mm inner protective screen                         | EN166       |
|           | -             | STWELD      | Ergonomic shape-memory headband                             | (€          |
|           | -             | BESM        | Sweatband                                                   | (€          |
| Accessory | Supplied with | BAGWELD     | Protective bag                                              | -           |



# Volt

#### Robustness, protection and style

- + Adjustable sensitivity of the return to a clear state
- + Ergonomic shape-memory headband

#### **Technologies**







Marine Brégeon - Gold medallist in the 2009 French welding championships and expert instructor.




+ LOW BATTERY INDICATOR AND REPLACEABLE BATTERY

Innovation Award Préventica **Préventica** LILLE 2013

Selection of welding shades and grinding position (shade 4)







| MODEL     | FRAME         | REFERENCES | DESCRIPTION                                                           | EUROPEAN    |
|-----------|---------------|------------|-----------------------------------------------------------------------|-------------|
|           | Black         | FUSV       | Electro-optical helmet (complete) with variable shades 4 / 5-8 / 9-13 | EN379/EN175 |
|           | -             | B7VP       | Electro-optical filter with variable shades 4 / 5-8 / 9-13            | EN379       |
| FUSION+   | -             | COVFUSPEXT | 115 x 104 mm outer protective screen                                  | EN166       |
| 1 0310117 | -             | COVFUSPINT | 105 x 58 mm inner protective screen                                   | EN166       |
|           | -             | STWELD     | Ergonomic shape-memory headband                                       | CE          |
|           | -             | BESM       | Sweatband                                                             | CE          |
| Accessory | Supplied with | BAGWELD    | Protective bag                                                        | -           |





Filter 9-13 + shade 4 (grinding)

2 independent





| MODEL | FRAME | REFERENCES                                              | DESCRIPTION                                              | EUROPEAN    |
|-------|-------|---------------------------------------------------------|----------------------------------------------------------|-------------|
|       | Black | VOLTV                                                   | Full electro-optical helmet with variable shade 4 / 9-13 | EN379/EN175 |
|       | -     | B6V Electro-optical filter with variable shade 4 / 9-13 |                                                          | EN379       |
| VOLT  | -     | COVFUSPEXT                                              | 115 x 104 mm outer protective screen                     | EN166       |
| VOLI  | -     | COVOINT                                                 | 102.5 x 42.3 mm inner protective screen                  | EN166       |
|       | -     | STFUSP                                                  | Adjustable headband                                      | C€          |
|       | -     | BESM                                                    | Sweatband                                                | C€          |

# TRACKER II

Ultra-comfortable and technical



# Flexible frame and grey shade for increased comfort and accuracy Available in clear, on page 70.

# **BANDIDO**

An economical model for genuine protection



# **SLAM**

Stylish and ergonomic



# **SQUALE**

Cost effective and compatible with most prescription spectacles



Available in clear, on page 64.

# **COVERSAL**

Double protection from gas welding radiation



# The welding grey 5 shade on the Superblast goggles provides the same protection as green welding shade 5 but provides better colour recognition for increased accuracy and effectiveness.

# SHADE CHOICE GUIDE WELDING SPECTACLES AND GOGGLES

# Shade 1.7 for welding assistants

| MODEL      | TEMPLES      | VERSIONS          | REFERENCES | LENS MARKING  | FRAME MARKING        | COATINGS |
|------------|--------------|-------------------|------------|---------------|----------------------|----------|
| SLAM       | Black        | Welding shade 1.7 | SLAWPCC2   | 1.7 😭 1 FT C€ | ≌ EN166 FT C€        | AS/AF    |
| TRACKER II | ■ Grey/Black | Welding shade 1.7 | TRACWPCC2  | 1.7 😭 1 FT (€ | <b>≅</b> EN166 FT C€ | AS       |

# Shade 3 for grinding and welding-brazing

| MODEL      | TEMPLES      | VERSIONS        | REFERENCES | LENS MARKING | FRAME MARKING | COATINGS |
|------------|--------------|-----------------|------------|--------------|---------------|----------|
| SLAM       | Black        | Welding shade 3 | SLAWPCC3   | 3 😭 1 FT €€  | ≅ EN166 FT C€ | AS       |
| TRACKER II | ■ Grey/Black | Welding shade 3 | TRACWPCC3  | 3 🗁 1 FT €€  | ≅ EN166 FT C€ | AS       |

# Shade 5 for welding-brazing and oxy-cutting applications

|            |               |                 |             |               | A Rossian I           |          |
|------------|---------------|-----------------|-------------|---------------|-----------------------|----------|
| MODEL      | TEMPLES/FRAME | VERSIONS        | REFERENCES  | LENS MARKING  | FRAME MARKING         | COATINGS |
|            |               |                 | SPECTACLES  |               |                       |          |
| BANDIDO    | ■Black        | Welding shade 5 | BANWPCC5    | 5 😭 1 FT C€   | ≅ EN166 FT C€         | AS       |
| SLAM       | Black         | Welding shade 5 | SLAWPCC5    | 5 😭 1 FT C€   | ≅ EN166 FT C€         | AS       |
| TRACKER II | ■ Grey/Black  | Welding shade 5 | TRACWPCC5   | 5 😭 1 FT C€   | ≅ EN166 FT C€         | AS       |
|            |               |                 | OTG         |               |                       |          |
| SQUALE     | ■Black        | Welding shade 5 | SQUWPCC5    | 5 😭 1 S €€    | <b>≅</b> EN166 S C€   | AS       |
|            |               |                 | GOGGLES     |               |                       |          |
| COVERSAL   | ■ Grey/Black  | Welding shade 5 | COVRP5      | 5 😭 1 €€      | ₩ EN166 / EN 175 T C€ |          |
| SUPERBLAS  | ■Black        | Welding shade 5 | SUPBLAWPCC5 | 5 🗁 1 BT 9 €€ | ₩ EN166 3 4 9 BT C€   | AS/AF    |

NEW



# **PRESCRIPTION** SELECTION GUIDE

All our prescription items are supplied with a kit: hard case and microfibre cloth..



|                   | MODELS       | PAGES | BASE     | REFERENCES | SIZE  | ADJUSTABLE TEMPLES |
|-------------------|--------------|-------|----------|------------|-------|--------------------|
|                   |              |       | 4        | SPISLT0    | 53/19 | ×                  |
|                   | SPICY        | P 98  |          | SPISBKGN   | 53/19 | ×                  |
|                   |              |       |          | SPIMBKB    | 53/19 | ×                  |
|                   |              |       |          | KICMBKO    | 54/19 | ×                  |
|                   | KICK         | P 99  | 4        | KICSDT0    | 54/19 | ×                  |
|                   |              |       |          | KICMBKGY   | 54/19 | ×                  |
| MUST HAVES        | B809         | P 100 | 4        | B809BL     | 54/17 | ×                  |
|                   |              | . 100 | <u> </u> | B809BXL    | 57/17 | ×                  |
|                   |              |       |          | B808BS     | 49/18 |                    |
|                   | B808 II      | P 101 | 4        | B808RS     | 49/18 |                    |
|                   | 2000 II      |       | ·        | B808BL     | 54/17 |                    |
|                   |              |       |          | B808RL     | 54/17 |                    |
|                   | B807         | P 102 | 6        | B807N      | 57/17 |                    |
|                   | B805         | P 102 | 4        | B805       | 54/18 |                    |
|                   | B806         | P 103 | 4        | B806S      | 52/17 | ×                  |
|                   |              |       |          | B806L      | 54/17 | ×                  |
| COVERING          | XTRA         | P 104 | 6        | XTRABKL    | 58/12 |                    |
|                   | MACRO        | P 105 | 6        | MACN       | 54/18 |                    |
|                   | URBAN        | P 106 | 6        | URBN       | 55/20 |                    |
|                   | SLIDE        | P 106 | 6        | SILDN      | 57/21 |                    |
|                   | BAXTER RX    | P 107 | 8        | BAXN       | 63/18 |                    |
| HYBRIDS           |              |       |          | BAXWFSN    | 63/18 |                    |
|                   | TRACKER RX   | P 108 | 6        | TRACKERRX  | 74/20 |                    |
|                   | TWISTER      | P 108 | 6        | TWISTN     | 56/26 |                    |
|                   | TRYON RX     | P 109 | 8        | TRYON      | 61/18 |                    |
| WRAP-AROUND       | HARPER       | P 110 | 8        | HARPGN     | 62/16 | ×                  |
|                   |              |       |          | HARPBN     | 62/16 | ×                  |
|                   | HUSTLER RX   | P 111 | 8        | HUSTN      | 68/16 |                    |
|                   | B713         | P 112 | 4        | B713S      | 52/17 | *                  |
|                   |              |       |          | B713L      | 54/17 | *                  |
|                   | B712         | P 113 | 4        | B712S      | 52/14 | *                  |
|                   | B=44         |       |          | B712L      | 54/14 | ×                  |
| METAL             | B711         | P 114 | 4        | B711       | 48/21 | **                 |
|                   | B710         | P 114 | 4        | B710S      | 50/19 | ×                  |
|                   |              | P 115 |          | B710L      | 52/19 | *                  |
|                   | B708         |       | 4        | B708S      | 52/18 | ×                  |
|                   | Book ALII    | D     |          | B708L      | 54/18 | ×                  |
|                   | B806 ALU     | P 115 | 4        | B806ALU    | 54/17 |                    |
| OFFICE SPECIALS   | SPICY OFFICE | P 116 | 4        | OFSPISLTO  | 53/19 | ×                  |
| OIT IOE OI EDIALO | KICK OFFICE  | P 117 | 4        | OFKICMBKGY | 54/19 | ×                  |

WHY CHOOSE BOLLÉ SAFETY TO PROTECT AND CORRECT YOUR EMPLOYEES' **EYESIGHT?** 

- Bad eyesight generates the risk of accidents and decreased productivity. Our wide range of solutions meet 98% of prescription needs.
- The Excellence prescription programme is a simple, turnkey offer available to all to combine protection and correction for every employee.
- We support you to recommend the best solutions and our secure ordering website allows for reliable and simple real-time management.
- We guarantee optimum lens quality and personal service with a network of local partner opticians.

Well protected eyes and properly corrected eyesight lowers the risks of accidents and reduces financial costs. Thousand of businesses are already working with us, why not yours?

Our models are available in Polycarbonate, CR39 and TRIVEX.



# SELECT YOUR FRAME BASE CORRECTLY

Depending on your protection requirements and your morphology we propose frames with curves varying from 4 to 8.



Recommended for

all corrections

SLIGHTLY CURVED CURVED



**VERY CURVED** Adapted for 70% of corrections


Check out our prescription brochure for more information



The frame selection may vary from one country to the other. please contact your salesperson for more information.

85% of corrections

Adapted for







| MODEL | FRAME                  | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|------------------------|----------|------------|-------|---------------------|---------------|
|       | ■ Light brown tortoise | =        | SPISLTO    | 53/19 | <b>≌</b> EN166 F C€ | 138 mm        |
| SPICY | ■ Black/green          | -        | SPISBKGN   | 53/19 | <b>≅</b> EN166 F C€ | 138 mm        |
|       | ■ Black/blue           | -        | SPIMBKB    | 53/19 | <b>≅</b> EN166 F C€ | 138 mm        |





KICMBKGY


■ Black/Grey

TEMPLE LENGTH

140 mm


140 mm

140 mm













| MODEL   | FRAME     | VERSIONS | REFERENCES | SIZE  | FRAME MARKING               | TEMPLE LENGTH |
|---------|-----------|----------|------------|-------|-----------------------------|---------------|
|         | Gun metal | SMALL    | B808BS     | 49/18 | <b>≅</b> EN166 F <b>C</b> € | 130 mm        |
| B808 II | Gun metal | LARGE    | B808BL     | 54/17 | <b>≅</b> EN166 F <b>C</b> € | 135 mm        |
| DOUO II | Red       | SMALL    | B808RS     | 49/18 | <b>≅</b> EN166 F <b>C</b> € | 130 mm        |
|         | Red       | LARGE    | B808RL     | 54/17 | <b>≅</b> EN166 F <b>C</b> € | 135 mm        |

#### Simplicity and optimum protection

- + Wrap-around frame for maximum protection
- Non-slip bridge
- Side shields







# **B805**

# Clear protection

- + Fully translucent frame
- + TIPGRIP comfort non-slip temples
- + Built-in shields providing side, lower and upper protection








| MODEL | FRAME | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|-------|----------|------------|-------|---------------------|---------------|
| B805  | Clear | -        | B805       | 54/18 | <b>≅</b> EN166 F C€ | 140 mm        |


# **B806**

#### Finesse at the service of safety

- Very trendy rectangular shape
- Adjustable thin temples
- Available in two sizes











NEW

Large, universal model

- + Large face special → Wide field of vision

XTRA

+ Built-in shields providing side, lower and upper protection





NEW



| MODEL | FRAME               | VERSIONS | REFERENCES | SIZE  | FRAME MARKING | TEMPLE LENGTH |
|-------|---------------------|----------|------------|-------|---------------|---------------|
| XTRA  | ■ Black/Translucent | -        | XTRABKL    | 58/12 | ≅ EN166 F C€  | 120 mm        |

# **MACRO**

#### Style and protection

- Lightweight, ultra covering frame for maximum protection
- + Pivoting temples to adjust protection
- + Rounded shape



| MODEL | FRAME           | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|-----------------|----------|------------|-------|---------------------|---------------|
| MACRO | Clear grey blue | -        | MACN       | 54/18 | <b>≅</b> EN166 F C€ | 140 mm        |



#### **COVERING**

# BASE 6

#### Ergonomic and sporting

- + Built-in side shields
- + TIPGRIP comfort non-slip temples
- Upper and lower protection





| MODEL | FRAME        | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|--------------|----------|------------|-------|---------------------|---------------|
| URBAN | ■ Grey/Brown | -        | URBN       | 55/20 | <b>≅</b> EN166 F C€ | 127 mm        |

# SLIDE



#### Sporty and modular

- + TIPGRIP comfort non-slip temples
- + Side, top and bottom shields







| MODEL | FRAME        | VERSIONS | REFERENCES | SIZE  | FRAME MARKING             | TEMPLE LENGTH |
|-------|--------------|----------|------------|-------|---------------------------|---------------|
| SLIDE | ■ Grey/Black | -        | SILDN      | 57/21 | <b>≅</b> EN166 F <b>€</b> | 127 mm        |

# **BAXTER RX**

Maximum protection and sealing

- Increased protection
- + Ultra wrap-around frame
- + Sealed foam and retainer strap for maximum protection from particles (depending on the version)

Available in the non prescription safety spectacles range



**HYBRIDS** 



BASE 8

| MODEL                                   | FRAME                                | VERSIONS               | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-----------------------------------------|--------------------------------------|------------------------|------------|-------|---------------------|---------------|
| <b>BAXTER</b> Spectacle version         | ■ Blue/Black                         | Worn as spectacles     | BAXN       | 63/18 | <b>≅</b> EN166 F C€ | 122 mm        |
| BAXTER RX                               | BAXTER RX Strap version ■ Blue/Black | Worn with foam + strap | -          | =     | ≅ EN166 3 4 5 F C€  | -             |
| Strap version                           |                                      | Foam + strap only kit  | BAXKITFS   | -     |                     | -             |
| <b>NEW BAXTER</b> Without foam or strap | ■ Blue/Black                         | Spectacles only        | BAXWFSN    | 63/18 | ≌ EN166 F C€        | 122 mm        |

# Prescription version TRACKER model

- + Built-in lens insert adjustable to eyesight
- + Foam with indirect vented and retainer strap for better protection
- → Model lenses with PLATINUM® coating


Available in the non prescription safety spectacles range



**HYBRIDS** 

| MODEL      | FRAME             | VERSIONS       | REFERENCES | SIZE                                 | FRAME MARKING                                                                            | TEMPLE LENGTH |
|------------|-------------------|----------------|------------|--------------------------------------|------------------------------------------------------------------------------------------|---------------|
| TRACKER RX | ■ Gun metal/Black | -              | TRACKERRX  | 74/20 (Spectacles)<br>45/28 (Insert) | <ul><li>EN 166 FT C€ (temple version)</li><li>EN 166 3 4 BT C€ (strap version)</li></ul> | 117 mm        |
| Accessory  | Supplied with     | Optical insert | SOSTRACKER | -                                    | -                                                                                        | -             |

# **TWISTER**




#### Ultimate protection

- → Comfort foam
- + Adjustable strap
- + Ultra-covering frame



| MODEL   | FRAME             | VERSIONS | REFERENCES | SIZE  | FRAME MARKING                                                                          | TEMPLE LENGTH |
|---------|-------------------|----------|------------|-------|----------------------------------------------------------------------------------------|---------------|
| TWISTER | ■ Gun metal/Black | -        | TWISTN     | 56/26 | <ul><li> EN 166 F C€ (temple version)</li><li> EN 166 3 F C€ (strap version)</li></ul> | 117 mm        |








| MODEL     | FRAME        | VERSIONS       | REFERENCES  | SIZE  | FRAME MARKING        | TEMPLE LENGTH |
|-----------|--------------|----------------|-------------|-------|----------------------|---------------|
| TRYON RX  | ■ Blue/Black | -              | TRYON       | 61/18 | <b>≅</b> EN 166 F C€ | 117 mm        |
| Accessory | Optional     | Retainer strap | PSPRUS+-S01 | -     | -                    | -             |
|           |              |                |             |       |                      |               |















| MODEL      | FRAME   | VERSIONS | REFERENCES | SIZE  | FRAME MARKING        | TEMPLE LENGTH |
|------------|---------|----------|------------|-------|----------------------|---------------|
| HUSTLER RX | ■ Black | -        | HUSTN      | 68/16 | <b>≅</b> EN 166 F C€ | 120 mm        |



**B712** 

#### Strength and simplicity

- + Adjustable temples and nose pads
- + Timeless style
- + Fixed shields providing side, lower and upper protection







| MODEL | FRAME                   | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|-------------------------|----------|------------|-------|---------------------|---------------|
| B713  | ■ Black/Stainless steel | SMALL    | B713S      | 52/17 |                     | 135 mm        |
| D/13  | ■ Black/Stainless steel | LARGE    | B713L      | 54/17 | <b>≅</b> EN166 F C€ | 135 mm        |



S: 31 g L: 35 g



| MODEL | FRAME   | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|---------|----------|------------|-------|---------------------|---------------|
| B712  | ■ Metal | SMALL    | B712S      | 52/14 | <b>≅</b> EN166 F C€ | 140 mm        |
| D/12  | ■ Metal | LARGE    | B712L      | 54/14 |                     | 140 mm        |

# **B711**

# Frame adapted to panoramic face masks

- + Frame without shields
- + Spectacles for all-round vision goggles
- Ultra thin hook temples







# **B710**

#### Simple and very lightweight design

- + Thin frame
- + Rectangular shape
- + Fixed shields providing side, lower and upper protection







| MODEL | FRAME     | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|-----------|----------|------------|-------|---------------------|---------------|
| B710  | Gun metal | SMALL    | B710S      | 50/19 |                     | 140 mm        |
| D/IU  | Gun metal | LARGE    | B710L      | 52/19 | <b>≅</b> EN166 F C€ | 140 mm        |

# **B708**

### The must have aviator frame at the service of safety

- + Aviator style with a double bridge
- + Adjustable temples and nose pads
- + Fixed shields providing side, lower and upper protection





| MODEL | FRAME  | VERSIONS | REFERENCES | SIZE  | FRAME MARKING | TEMPLE LENGTH |
|-------|--------|----------|------------|-------|---------------|---------------|
| B708  | Bronze | SMALL    | B708S      | 52/18 |               | 140 mm        |
| D/U0  | Bronze | LARGE    | B708L      | 54/18 | ≅ EN166 F C€  | 140 mm        |

# **B806 ALU**

#### Unique reinforced aluminium frame


- + Fixed shields providing side, lower and upper protection
- Adjustable nose pads
- + Aluminium frame





Also available in classic version and several sizes see B806 model on page 103.

| MODEL | FRAME          | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------|----------------|----------|------------|-------|---------------------|---------------|
| B806  | Grey/Aluminium | -        | B806ALU    | 54/17 | <b>≅</b> EN166 F C€ | 132 mm        |









| MODEL        | FRAME                  | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|--------------|------------------------|----------|------------|-------|---------------------|---------------|
| SPICY OFFICE | ☐ Light brown tortoise | -        | OFSPISLTO  | 53/19 | <b>≅</b> EN166 S C€ | 138 mm        |



| MODEL       | FRAME        | VERSIONS | REFERENCES | SIZE  | FRAME MARKING       | TEMPLE LENGTH |
|-------------|--------------|----------|------------|-------|---------------------|---------------|
| KICK OFFICE | ■ Black/Grey | -        | OFKICMBKGY | 54/19 | <b>≅</b> EN166 S C€ | 140 mm        |





#### BL30 provides a wrap-around protection and a universal design

- + Scratch and fogging protection
- + "Stop-in" system (holds the temples to prevent contact with the
- ★ Lightweight and contains no metal parts

CUSTOMISED OFFER:

A choice of 5 temple colours on request and subject to conditions



| MODEL | TEMPLES | VERSIONS | REFERENCES  | LENS MARKING     | FRAME MARKING | COATINGS |
|-------|---------|----------|-------------|------------------|---------------|----------|
| BL30  | Clear   | Clear    | PSSBL30-014 | 2C-1.2 😭 1 FT C€ |               | AS/AF    |
| BL3U  | ■ Smoke | Smoke    | PSSBL30-408 | 5-2.5 😭 1 FT C€  |               | AS/AF    |

NEW

# **BL13** SPECTACLES

The BL13 model provides increased upper protection and a wide field of vision

- ♣ Side shields
- ★ Adjustable pivoting temples



| MODEL | FRAME | VERSIONS | REFERENCES | LENS MARKING    | FRAME MARKING | COATINGS |
|-------|-------|----------|------------|-----------------|---------------|----------|
| BL13  | Clear | Clear    | BL13CI     | 2-1.2 😭 1 FT (€ | © EN166 FT C€ | AS       |

# **BL11** OVERSPECTACLES

Simple and effective in two versions: Visitor version or with anti-scratch coating

- ♣ Side shields with a ventilation system
- ★ Compatible with all prescription spectacles



OTG

| MODEL | TEMPLES | VERSIONS | REFERENCES | LENS MARKING    | FRAME MARKING | COATINGS |
|-------|---------|----------|------------|-----------------|---------------|----------|
| BL11  | Clear   | Clear    | BL11PI     | 2-1.2 😭 1 FT €€ | ≅ EN166 FT C€ | -        |
| DLII  | Clear   | Clear    | BL11CI     | 1 FT C€         |               | AS       |

# **BL15** GOGGLES

Simple and cost effective, the BL15 goggles are suitable for all and is compatible with prescription spectacles

- → Flexible and vented frame
- + Available with an anti-fog coating
- + Adjustable tightening elastic
- ★ Sealed version available



| Clear Vented BL15API ☎ 1 9 BT C€ ☎ EN166 3 4 9 BT C€ -         | 6 |
|----------------------------------------------------------------|---|
|                                                                |   |
| BL15 Clear Vented BL15APSI ☆ 1 BT C€ ☆ EN166 3 4 9 BT C€ AF    |   |
| NEW Clear Sealed PSGBL15-A02 ☆ 1 BT C€ ☆ EN166 345 BT C€ AS/AF |   |

# **BL20** FACE SHIELD

BL20 provides full head and face protection and a wide field of vision

- ★ Adjustable headband and protective headgear
- # Tilting shield
- + Option: adapter compatible with the SPHERE model shield



| MODEL | HEADGEAR    | VERSIONS       | REFERENCES | LENS MARKING          | FRAME MARKING | COATINGS |
|-------|-------------|----------------|------------|-----------------------|---------------|----------|
|       | ■ Dark blue | Clear          | BL20PI     | <b>□</b> 1B <b>(€</b> |               | =        |
| BL20  | Black       | Helmet adapter | BL20HA     | =                     |               | -        |
|       | -           | Spare lens     | BL20FAPI   | ₩ 1 B ( €             | -             | -        |

Helmet adapter

**bollé** / 120 **bollé** / 121

# Couldn't find these models in the catalogue? Find them on our web site!

bolle-safety.com

#### **SPECTACLES**

**B272** 



UNIVERSAL

**TARGA** 



SLAM+

**SOLIS** 



**UNIVIS 10** 



**VIPER** 



**SPIDER** 

SUPER NYLSUN



**VOODOO** 





**VISITEUR** 

#### **GOGGLES**

**ELITE** 



**X90** 



#### **WELDING**

**BLOCUS** 







These models are on our web site, available while stocks last



# **ACCESSORIES**

To protect and take proper care of your Bollé Safety has designed a complete range of practical and effective accessories.

# CLEANING **PRODUCTS**

# **6** CLEAN

Dispenser containing 100 pre-impregnated wipes

- The B-Clean Bollé Safety range of cleaning solutions guarantees optimum cleaning. Alcohol and silicone free, its water-based formula guarantees a perfect cleaning and protection for your spectacles and goggles.
- Water-based formula
- Alcohol and silicone free
- + For all types of lenses

# **ANTI-FOG SOLUTIONS**

Specially developed to combat the appearance of fogging, the B-Clean anti-fog line guarantees your eye protection will be used to its best.





Cardboard wall dispenser

Dispenser with

wipes

Ref. B500

Cleaning spray 250 ml + 2 x 200 wipes. Ref. B410



Box of 200

Ref. B401

multi-function wipes

Cleaning spray 250 ml

Ref. B411

Cleaning spray 50 ml Ref. B412



#### Anti-fog kit

30 ml anti-fog solution spray + 1 microfibre cloth (all types of lens except antiglare). Available as 10 units in a display case. Ref. B200



#### Anti-fog spray 500ml

(All types of lens except anti-glare). Ref. B250

# **DISPENSER**

#### Kit out your workplace.

The B600 is a plastic dispenser containing 2 boxes of 200 multi-purpose wipes and a 500 ml cleaning spray. It can be fitted to the wall or stood on a surface. Ref. B600



# CASES AND CORDS

Bollé Safety has designed a complete range of practical accessories to protect your spectacles, goggles and face shields.



bollé / 126

Hard case Small Ref. PACCASR-2



Spring-top polyester pouch



Soft polyester case with belt loop. Ref. ETUIC



Microfibre pouch compatible with all our models. Available in bags of 10. Ref. ETUIFL



for welding helmets and face shields. Ref. BAGWELD



Black polyester cord Available in bags of 10. Ref. CORD



Classic adjustable cord TPE tips, 100 % polyester. Available in bags of 10. Ref. CORDC



Hard case Large Ref. PACCASR-4



"Banana" case with belt clip and loop Ref. ETUIB



Semi-hard polyester case with belt loop. Ref. ETUICR



Microfibre pouch Compatible with all our models. Available in bags of 10. Ref. ETUIFS



Retainer strap adjustable and compatible with several models (RUSH+, SILEX+, NESS+, TRYON, ULTIM8, MERCURO...). Ref. PSPRUS+-S01



"Sporty" adjustable cord TPE tips, 100% polyester Available in bags of 10. Ref. CORDS



The flagship safety range products are available for the civil protection and defence sectors. Get COBRA, CONTOUR, CONTOUR METAL, HUSTLER, NESS+, PILOT, RUSH+, SILIUM+, TRYON, ULTIM8 and VOODOO.

Added to those is a full spectacle and goggles range that are ballistic certified including:



For more information about the civil protection and defence range, visit bolle-tactical.com or contact us for specific developments.

# **SWAT**

- + Ballistic polycarbonate lens
- + Highly flexible, comfortable nylon frame

#### **Technologies**

♦PLATINUM®(+P) POLARIZED

28 g

# **COMBAT**

- + Ergonomic temples compatible with communications systems and ballistics helmets
- → Ultra wrap-around fit frame

#### **Technologies**



Available in kit form


# X810

- + Sealed or ultra-vented version
- + Panoramic field of view
- → Quick-release system

#### **Technologies**







#### ANTI-SCRATCH AND ANTI-FOG PLATINUM® COATING **EVER LASTING PROTECTION**

- Applied by dipping the lenses and therefore covering both sides, the PLATINUM\* coating is a permanent coating resistant to cleaning. It makes the lenses highly scratch-resistant and significantly slows the appearance of fogging, guaranteeing more safety, reliability and comfort.
- Imitated but never equalled, PLATINUM meets every requirement of all international standards, in particular EN166 option K and N. PLATINUM\* is available on many models.



SILIUM+

Available in clear, smoke, CSP versions.



bolle-safety.com

Find the models available for outdoor or mixed indoor/outdoor use models, specific welding models and safety goggles at a glance.

# **SMOKE EYEWEAR**

|   | MODEL                | REFERENCES                      | TECHNO             | PAGE |
|---|----------------------|---------------------------------|--------------------|------|
|   | AXIS                 | AXPSF                           | AS/AF              | P 60 |
|   | BANDIDO              | BANPSF                          | AS/AF              | P 62 |
|   | BAXTER               | BAXPSF                          | <b>₽</b>           | P 51 |
|   | BAXTER<br>Polarized  | BAXPOLWFS                       | POLARIZED          | P 35 |
|   | COBRA                | COBPSF                          | <b>₽</b>           | P 46 |
|   | CONTOUR              | CONTPSF                         | <b>₽</b>           | P 50 |
|   | CONTOUR<br>METAL     | CONTMPSF                        | AS/AF              | P 57 |
|   | CONTOUR<br>POLARIZED | CONTPOL                         | POLARIZED          | P 37 |
| ~ | HUSTLER              | HUSTPSF<br>HUSTPOL<br>HUSTFLASH | AS/AF<br>POLARIZED | P 38 |
| - | ILUKA                | ILUPSF                          | AS/AF              | P 58 |
|   | IRI-s                | IRIPSF                          | <b>₽</b>           | P 48 |
|   | MERCURO              | MERPSF<br>MERPOL                | POLARIZED          | P 34 |
|   | NESS                 | NESSPSF                         | AS/AF              | P 61 |

|   | MODEL              | REFERENCES               | TECHNO    | PAGE |
|---|--------------------|--------------------------|-----------|------|
|   | NESS+              | NESSPPSF                 | <b>₽</b>  | P 40 |
|   | RUSH               | RUSHPSF                  | AS/AF     | P 60 |
|   | RUSH+              | RUSHPPSF<br>RUSHPPSFY    | <b>₽</b>  | P 42 |
|   | RUSH+ SMALL        | RUSHPSPSFG<br>RUSHPSPSFL | ÷P        | P 44 |
|   | SILEX              | SILEXPSF                 | AS/AF     | P 59 |
|   | SILEX+             | SILEXPPSF                | ÷₽        | P 39 |
|   | SILIUM             | SILPSF                   | AS/AF     | P 56 |
|   | SILIUM+            | SILPPSF                  | <b>₽</b>  | P 41 |
|   | SLAM               | SLAPSF                   | AS/AF     | P 62 |
|   | TRACKER II         | TRACPSF                  | <b>₽</b>  | P 53 |
|   | TRYON              | TRYOPSF<br>TRYOFLASH     | <b>₽</b>  | P 49 |
| 3 | TRYON OTG          | TRYOTGPSF                | <b>₽</b>  | P 65 |
|   | TRYON<br>POLARIZED | TRYOPOL                  | POLARIZED | P 36 |

# **HYBRID GLASSES**

| MODEL              | REFERENCES                    | TECHNO     | PAGE |
|--------------------|-------------------------------|------------|------|
| BAXTER             | BAXPSI<br>BAXCSP<br>BAXPSF    | <b>₽</b>   | P 51 |
| COBRA<br>Hybrid    | COBFSPSI<br>COBFTPSI          | <b>₽</b>   | P 54 |
| COBRA TPR          | COBTPRPSI                     | <b>₽</b>   | P 76 |
| RUSH+<br>Assembled | RUSHPFSPSI                    | <b>₽</b>   | P 55 |
| TRACKER II         | TRACPSI<br>TRACPSF<br>TRACPSJ | <b>₽</b>   | P 53 |
| ULTIM8             | ULTIPSI                       | <b>⁺</b> P | P 52 |

# **WELDING GLASSES/GOGGLES**

| MODEL      | REFERENCES                          | TINT          | PAGE |
|------------|-------------------------------------|---------------|------|
| BANDIDO    | BANWPCC5                            | 5             | P 92 |
| COVERSAL   | COVRP5                              | 5             | P 92 |
| SLAM       | SLAWPCC2<br>SLAWPCC3<br>SLAWPCC5    | 1.7<br>3<br>5 | P 92 |
| SQUALE     | SQUWPCC5                            | 5             | P 92 |
| SUPERBLAST | SUPBLAWPCC5                         | 5             | P 92 |
| TRACKER II | TRACWPCC2<br>TRACWPCC3<br>TRACWPCC5 | 1.7<br>3<br>5 | P 92 |

# **SPECTACLES INDOOR/OUTDOOR**

|      | MODEL            | REFERENCES             | TECHNO     | PAGE |
|------|------------------|------------------------|------------|------|
|      | BAXTER           | BAXCSP                 | + <b>P</b> | P 51 |
|      | COBRA            | COBESP<br>COBCSP       | CSP<br>ESP | P 46 |
|      | CONTOUR          | CONTESP<br>PSSCONT-C10 | CSP<br>ESP | P 50 |
| - 18 | CONTOUR<br>METAL | CONTMESP               | ESP        | P 57 |
|      | MERCURO          | MERCSP                 | t <b>p</b> | P 34 |
|      | NESS+            | NESSPCSP               | t <b>p</b> | P 40 |
|      | RUSH+            | RUSHPCSP               | t <b>p</b> | P 42 |
|      | RUSH+<br>SMALL   | RUSHPSCSPL             | + <b>P</b> | P 44 |
|      | SILEX+           | SILEXPCSP              | CSP        | P 39 |
| 7    | SILIUM+          | SILPCSP                | CSP        | P 41 |
|      | SLAM             | SLAESP                 | ESP        | P 62 |
|      | TRYON            | TRYOCSP                | + <b>P</b> | P 49 |
|      |                  |                        |            |      |

If you can't find a model in the catalogue, you can find it on our website **bolle-safety.com** 





bolle-safety.com

#### **Europe / Bollé Safety**

34, rue de la Soie 69100 Villeurbanne France Tel. 00 33 (0)4 78 85 23 64 Fax: 00 33 (0)4 78 85 28 56 E-mail: contact@bolle-safety.com

#### **UK & Ireland / Bollé Safety**

Unit C83 - Barwell Business Park Leatherhead Road - Chessington Surrey - KT9 2NY - UK Tel. 00 44 (0)208 391 4700 Fax: 00 44 (0)208 391 4733 E-mail: sales@bolle-safety.co.uk





